

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別

2012年

部位	罹患数												罹患割合(%)						粗罹患率						年齢調整罹患率						世界人口						累積罹患率(0-74歳)	
	100-10			C00-C96			男			女			男女計			男			女			男女計			男			女			男女計			男	女	男女計		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計					
全部位	6,324	4,391	10,715	100.0	100.0	100.0	2.2	1.7	2.0	21.1	9.7	15.0	433.5	269.7	337.4	302.9	200.9	243.2	36.1	22.0	28.4	1.0	0.3	0.6	1.0	0.3	0.6	1.0	0.3	0.6	1.0	0.3	0.6					
口腔・咽頭	142	73	215	2.2	1.7	2.0	3.2	0.8	2.2	29.8	4.5	16.4	14.9	2.1	7.9	10.9	1.5	5.8	1.4	0.2	0.8	1.4	0.2	0.8	1.4	0.2	0.8	1.4	0.2	0.8	1.4	0.2	0.8					
食道	201	34	235	3.2	0.8	2.2	17.0	11.4	14.7	159.8	66.1	110.2	75.3	25.2	47.4	52.5	17.7	33.3	6.4	2.0	4.0	6.4	2.0	4.0	6.4	2.0	4.0	6.4	2.0	4.0	6.4	2.0	4.0					
胃	1,077	500	1,577	17.0	11.4	14.7	14.5	15.7	15.0	135.6	91.2	112.1	66.3	34.9	49.1	47.3	24.9	35.2	6.0	2.9	4.4	6.0	2.9	4.4	6.0	2.9	4.4	6.0	2.9	4.4	6.0	2.9	4.4					
大腸(結腸・直腸)	914	690	1,604	14.5	15.7	15.0	9.0	11.7	10.1	84.1	68.1	75.6	39.5	25.2	31.5	27.8	17.9	22.4	3.5	2.1	2.7	3.5	2.1	2.7	3.5	2.1	2.7	3.5	2.1	2.7	3.5	2.1	2.7					
結腸	567	515	1,082	9.0	11.7	10.1	5.5	4.0	4.9	51.5	23.1	36.5	26.8	9.7	17.5	19.5	7.0	12.8	2.5	0.8	1.6	2.5	0.8	1.6	2.5	0.8	1.6	2.5	0.8	1.6	2.5	0.8	1.6					
直腸	347	175	522	5.5	4.0	4.9	7.1	4.9	6.2	66.3	28.3	46.2	30.1	8.6	18.1	20.7	5.7	12.5	2.4	0.6	1.5	2.4	0.6	1.5	2.4	0.6	1.5	2.4	0.6	1.5	2.4	0.6	1.5					
肝および肝内胆管	447	214	661	7.1	4.9	6.2	1.9	3.1	2.4	18.1	18.0	18.0	7.4	5.1	6.0	5.1	3.5	4.2	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4					
胆のう・胆管	122	136	258	1.9	3.1	2.4	3.5	5.2	4.2	32.5	30.0	31.2	15.0	10.4	12.5	10.4	7.2	8.7	1.3	0.8	1.0	1.3	0.8	1.0	1.3	0.8	1.0	1.3	0.8	1.0	1.3	0.8	1.0					
膵臓	219	227	446	3.5	5.2	4.2	1.1	0.1	0.7	10.1	0.4	5.0	4.9	0.1	2.3	3.4	0.0	1.6	0.4	0.0	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.4	0.0	0.2					
喉頭	68	3	71	1.1	0.1	0.7	16.4	11.5	14.4	153.7	67.0	107.9	65.9	24.3	42.0	44.9	17.1	29.1	5.1	2.0	3.4	5.1	2.0	3.4	5.1	2.0	3.4	5.1	2.0	3.4	5.1	2.0	3.4					
肺	1,036	507	1,543	16.4	11.5	14.4	2.0	3.2	2.5	18.7	18.6	18.7	8.1	6.3	7.0	5.4	4.7	4.9	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5					
皮膚	126	141	267	2.0	3.2	2.5	0.0	16.2	6.7	0.3	94.3	50.0	0.1	63.6	33.4	0.1	49.2	25.7	0.0	5.5	2.9	0.0	5.5	2.9	0.0	5.5	2.9	0.0	5.5	2.9	0.0	5.5	2.9					
乳房	2	713	715	0.0	16.2	6.7	-	7.0	2.9	-	40.7	-	-	30.7	-	-	24.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
子宮	-	308	308	-	7.0	2.9	-	3.1	1.3	-	18.2	-	-	16.2	-	-	13.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
子宮頸部	-	138	138	-	3.1	1.3	-	3.5	1.4	-	20.4	-	-	13.9	-	-	10.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
子宮体部	-	154	154	-	3.5	1.4	-	2.6	1.1	-	15.3	-	-	10.3	-	-	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
卵巣	-	116	116	-	2.6	1.1	-	16.6	9.8	-	155.6	-	-	66.6	-	-	44.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
前立腺	1,049	-	1,049	16.6	9.8	155.6	3.4	1.6	2.7	31.7	9.4	19.9	12.9	2.9	7.1	8.5	2.0	4.8	0.9	0.2	0.5	0.9	0.2	0.5	0.9	0.2	0.5	0.9	0.2	0.5	0.9	0.2	0.5					
膀胱	214	71	285	3.4	1.6	2.7	2.8	1.9	2.4	26.1	11.2	18.2	13.0	4.0	8.0	9.3	2.8	5.7	1.0	0.3	0.7	1.0	0.3	0.7	1.0	0.3	0.7	1.0	0.3	0.7	1.0	0.3	0.7					
腎・尿路(膀胱除く)	176	85	261	2.8	1.9	2.4	0.5	0.5	0.5	4.5	3.2	3.8	2.6	1.4	2.0	1.9	1.3	1.5	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1					
脳・中枢神経系	30	24	54	0.5	0.5	0.5	0.4	2.7	1.3	3.6	15.6	9.9	2.6	10.4	6.7	2.1	8.2	5.3	0.2	0.8	0.6	0.2	0.8	0.6	0.2	0.8	0.6	0.2	0.8	0.6	0.2	0.8						
甲状腺	24	118	142	0.4	2.7	1.3	2.8	3.8	3.2	26.4	21.8	24.0	13.1	10.2	11.4	9.4	7.7	8.4	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.0	0.8	0.9					
悪性リンパ腫	178	165	343	2.8	3.8	3.2	0.6	0.8	0.6	5.2	4.5	4.8	2.6	1.4	2.0	1.8	0.9	1.3	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1					
多発性骨髄腫	35	34	69	0.6	0.8	0.6	1.3	1.3	1.3	12.3	7.8	9.9	6.5	3.7	5.0	5.0	2.9	3.8	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4					
白血病	83	59	142	1.3	1.3	1.3	1.3	1.3	1.3	12.3	7.8	9.9	6.5	3.7	5.0	5.0	2.9	3.8	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4					

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対) ; 部位別、性別
 B. 上皮内がんを含む

2012年

部位	罹患数												罹患割合(%)						粗罹患率						年齢調整罹患率						累積罹患率(0-74歳)																																						
	I6D-10			C00-C96			D00-D09			C15			D001			C18-C20			D010-D012			C18			D010			C19-C20			D011-D012			C33-C34			D021-D022			C43-C44			D030-D049			C50			D05			C53-C55			D06			C53			D06			C67			D090		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計																					
全部位	6,763	4,872	11,635	100.0	100.0	100.0	0.8	0.8	0.8	2.2	2.2	4.4	32.6	32.6	65.2	4.9	4.9	9.8	18.0	18.0	36.0	813.4	813.4	1,626.8	644.2	644.2	1,288.4	378.1	378.1	756.2	320.9	320.9	641.8	465.3	465.3	930.6	16.2	16.2	32.4	2.2	2.2	4.4	8.6	8.6	17.2	8.6	8.6	17.2	11.8	11.8	23.6	325.7	325.7	651.4	242.1	242.1	484.2	274.8	274.8	549.6	39.0	39.0	78.0	25.9	25.9	51.8	31.8	31.8	63.6
食道	220	37	257	3.3	0.8	4.1	0.8	0.8	1.6	2.2	2.2	4.4	32.6	32.6	65.2	4.9	4.9	9.8	18.0	18.0	36.0	813.4	813.4	1,626.8	644.2	644.2	1,288.4	378.1	378.1	756.2	320.9	320.9	641.8	465.3	465.3	930.6	16.2	16.2	32.4	2.2	2.2	4.4	8.6	8.6	17.2	8.6	8.6	17.2	11.8	11.8	23.6	325.7	325.7	651.4	242.1	242.1	484.2	274.8	274.8	549.6	39.0	39.0	78.0	25.9	25.9	51.8	31.8	31.8	63.6
大腸(結腸・直腸)*1	1,165	839	2,004	17.2	17.2	34.4	17.2	17.2	34.4	17.2	17.2	34.4	172.8	172.8	345.6	110.9	110.9	221.8	140.1	140.1	280.2	140.1	140.1	280.2	110.9	110.9	221.8	63.0	63.0	126.0	44.2	44.2	88.4	85.8	85.8	171.6	44.2	44.2	88.4	85.8	85.8	171.6	44.2	44.2	88.4	63.0	63.0	126.0	63.0	63.0	126.0	61.5	61.5	123.0	31.7	31.7	63.4	45.4	45.4	90.8	7.9	7.9	15.8	3.8	3.8	7.6	5.7	5.7	11.4
結腸*1	751	618	1,369	11.1	12.7	23.8	12.7	12.7	25.4	11.8	11.8	23.6	111.4	111.4	222.8	81.7	81.7	163.4	95.7	95.7	191.4	95.7	95.7	191.4	81.7	81.7	163.4	41.8	41.8	83.6	31.7	31.7	63.4	54.1	54.1	108.2	31.7	31.7	63.4	54.1	54.1	108.2	31.7	31.7	63.4	41.8	41.8	83.6	38.5	38.5	77.0	22.6	22.6	45.2	29.8	29.8	59.6	4.9	4.9	9.8	2.7	2.7	5.4	3.7	3.7	7.4			
直腸*1	414	221	635	6.1	4.5	10.6	4.5	4.5	9.0	5.5	5.5	11.0	61.4	61.4	122.8	29.2	29.2	58.4	44.4	44.4	88.8	44.4	44.4	88.8	29.2	29.2	58.4	21.3	21.3	42.6	12.5	12.5	25.0	31.7	31.7	63.4	31.7	31.7	63.4	23.0	23.0	46.0	9.1	9.1	18.2	15.5	15.5	31.0	3.0	3.0	6.0	1.1	1.1	2.2	2.0	2.0	4.0												
肺	1,037	511	1,548	15.3	10.5	25.8	10.5	10.5	21.0	13.3	13.3	26.6	153.8	153.8	307.6	67.6	67.6	135.2	108.2	108.2	216.4	108.2	108.2	216.4	67.6	67.6	135.2	42.2	42.2	84.4	24.5	24.5	49.0	65.9	65.9	131.8	44.9	44.9	89.8	17.3	17.3	34.6	5.1	5.1	10.2	2.0	2.0	4.0	3.5	3.5	7.0																		
皮膚	153	173	326	2.3	3.6	5.9	3.6	3.6	7.2	2.8	2.8	5.6	22.7	22.7	45.4	22.9	22.9	45.8	22.8	22.8	45.6	22.8	22.8	45.6	22.9	22.9	45.8	8.6	8.6	17.2	8.1	8.1	16.2	9.8	9.8	19.6	8.1	8.1	16.2	6.6	6.6	13.2	6.1	6.1	12.2	0.7	0.7	1.4	0.6	0.6	1.2																		
乳房	2	782	784	0.0	16.1	16.1	16.1	16.1	32.2	6.7	6.7	13.4	0.3	0.3	0.6	103.4	103.4	206.8	54.8	54.8	109.6	54.8	54.8	109.6	103.4	103.4	206.8	37.1	37.1	74.2	70.9	70.9	141.8	0.1	0.1	0.2	54.9	54.9	109.8	0.0	0.0	0.0	6.1	6.1	12.2	3.2	3.2	6.4																					
子宮	-	476	476	-	9.8	9.8	9.8	9.8	19.6	4.1	4.1	8.2	-	-	-	62.9	62.9	125.8	-	-	-	-	-	-	59.9	59.9	119.8	-	-	-	49.0	49.0	98.0	-	-	-	4.5	4.5	9.0	-	-	-																											
子宮頸部	-	306	306	-	6.3	6.3	6.3	6.3	12.6	2.6	2.6	5.2	-	-	-	40.5	40.5	81.0	-	-	-	-	-	-	45.4	45.4	90.8	-	-	-	37.8	37.8	75.6	-	-	-	3.2	3.2	6.4	-	-	-																											
膀胱	333	116	449	4.9	2.4	7.3	2.4	2.4	4.8	3.9	3.9	7.8	49.4	49.4	98.8	15.3	15.3	30.6	31.4	31.4	62.8	31.4	31.4	62.8	15.3	15.3	30.6	11.9	11.9	23.8	20.7	20.7	41.4	5.4	5.4	10.8	3.8	3.8	7.6	1.5	1.5	3.0	0.5	0.5	1.0	0.9	0.9	1.8																					

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2012年

性別	部位	100-10歳																	85歳以上																							
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳																								
		罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)																							
男	全部位	1	100.0	0	0.0	2	100.0	4	100.0	7	100.0	7	100.0	6	100.0	27	100.0	49	100.0	70	100.0	983	100.0	1,174	100.0	1,208	100.0	1,075	100.0	789	100.0											
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	18	4.6	45	5.5	44	4.5	28	2.4	31	2.6	26	2.4	17	2.2							
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	14.8	14	28.6	19	27.1	37	25.0	84	21.6	184	22.3	188	19.1	221	18.8	172	14.2	149	13.9	93	11.8					
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	9	18.4	10	14.3	24	16.2	47	12.1	110	13.3	120	12.2	143	12.2	117	9.7	98	9.1	71	9.0			
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	5	10.2	9	12.9	13	8.8	37	9.5	74	9.0	68	6.9	78	6.6	55	4.6	51	4.7	22	2.8			
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	4	8.2	3	4.3	12	8.1	50	12.9	119	14.4	149	15.2	154	13.1	199	16.5	193	18.0	152	19.3			
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	1	2.0	1	1.4	6	4.1	4	1.0	10	1.2	11	1.1	29	2.5	31	2.6	24	2.2	34	4.3			
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0			
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	11.1	1	2.0	2	2.9	4	2.7	13	3.4	35	4.2	35	3.6	50	4.3	63	5.2	64	6.0	63	8.0			
	合計	3	100.0	0	0.0	6	100.0	1	100.0	13	100.0	37	100.0	69	100.0	104	100.0	174	100.0	132	100.0	174	100.0	198	100.0	301	100.0	488	100.0	581	100.0	676	100.0	829	100.0	629	100.0	941	100.0			
	女	全部位	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.5	2	0.7	6	1.2	4	0.8	10	1.7	6	0.9	5	0.8	2	0.2		
		食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
		大腸(結腸・直腸)*1	0	0.0	0	0.0	1	16.7	0	0.0	0	0.0	0	0.0	2	2.9	4	3.8	10	7.6	14	8.0	26	13.1	38	12.6	90	17.3	87	17.8	131	22.5	122	18.1	139	22.1	139	22.1	175	18.6		
		結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.9	2	1.9	7	5.3	10	5.7	17	8.6	26	8.6	67	12.9	60	12.3	97	16.7	97	14.4	99	15.7	134	14.2		
		直腸*1	0	0.0	0	0.0	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.9	3	2.3	4	2.3	9	4.5	12	4.0	23	4.4	27	5.5	34	5.9	25	3.7	40	6.4	41	4.4		
		肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.9	2	1.5	7	4.0	7	3.5	29	9.6	55	10.6	52	10.7	63	10.8	88	13.0	77	12.2	129	13.7		
		皮膚	0	0.0	0	0.0	0	0.0	0	0.0	1	7.7	2	5.4	0	0.0	2	1.9	0	0.0	1	0.6	3	1.5	9	3.0	13	2.5	13	2.7	16	2.8	22	3.3	26	4.1	64	6.8				
乳房		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	8.1	14	20.3	20	19.2	42	31.8	66	37.9	68	34.3	90	29.9	127	24.5	96	19.7	88	15.1	71	10.5	42	6.7	55	5.8					
子宮		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	61.5	26	70.3	42	60.9	56	53.8	55	41.7	34	19.5	36	18.2	39	13.0	51	9.8	34	7.0	26	4.5	20	3.0	21	3.3	28	3.0			
子宮頸部		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	61.5	26	70.3	39	56.5	54	51.9	50	37.9	29	16.7	13	6.6	15	5.0	18	3.5	8	1.6	12	2.1	11	1.6	11	1.8	12	1.3			
膀胱		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8	2	1.1	0	0.0	6	2.0	8	1.5	14	2.9	18	3.1	20	3.0	19	3.0	28	3.0			
合計		4	100.0	0	0.0	8	100.0	5	100.0	20	100.0	44	100.0	75	100.0	131	100.0	181	100.0	132	100.0	174	100.0	198	100.0	301	100.0	488	100.0	581	100.0	676	100.0	829	100.0	629	100.0	941	100.0			
男女計		全部位	4	100.0	0	0.0	8	100.0	9	100.0	27	100.0	77	100.0	144	100.0	205	100.0	255	100.0	164	100.0	248	100.0	396	100.0	602	100.0	971	100.0	1,255	100.0	1,884	100.0	1,704	100.0	1,730	100.0				
		食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.5	2	0.7	6	1.2	4	0.8	10	1.7	6	0.9	5	0.8	2	0.2		
		大腸(結腸・直腸)*1	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0	0	0.0	2	2.7	8	6.1	24	13.3	33	13.5	63	18.2	122	17.7	274	20.4	275	18.7	352	20.1	294	15.6	288	16.9	268	15.5				
		結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	4	3.1	16	8.8	20	8.2	41	11.8	73	10.6	177	13.2	180	12.2	240	13.7	214	11.4	197	11.6	205	11.9		
		直腸*1	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	3.1	8	4.4	13	5.3	22	6.4	49	7.1	97	7.2	95	6.5	112	6.4	80	4.3	91	5.3	63	3.6		
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	2.3	6	3.3	10	4.1	19	5.5	79	11.5	174	12.9	201	13.7	217	12.4	287	15.2	270	15.9	281	16.2			
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	2	4.5	0	0.0	4	3.1	1	0.6	2	0.8	9	2.6	13	1.9	23	1.7	24	1.6	45	2.6	53	2.8	50	2.9	98	5.7					
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	6.8	14	18.7	20	15.3	42	23.2	66	27.0	66	27.0	90	13.1	127	9.4	96	6.5	88	5.0	71	3.8	42	2.5	57	3.3					
	子宮	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	40.0	26	59.1	42	56.0	56	42.7	55	30.4	34	13.9	36	10.4	39	5.7	51	3.8	34	2.3	26	1.5	20	1.1	21	1.2	28	1.6			
	子宮頸部	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	40.0	26	59.1	39	52.0	54	41.2	50	27.6	29	11.9	13	3.8	15	2.2	18	1.3	8	0.5	12	0.7	11	0.6	11	0.7	12	0.7			
	膀胱	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	2.3	2	1.1	4	1.2	19	2.8	43	3.2	49	3.3	68	3.9	83	4.4	83	4.4	83	4.9	91	5.3			

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

A. 上皮内がんを除く

2012年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	C00-C96	3.5	0.0	6.0	12.4	23.0	20.8	16.1	46.7	104.2	164.9	341.4	774.4	1,192.8	1,904.2	2,617.4	3,211.7	3,953.3	4,052.9
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.7	7.5	26.3	36.7	51.4	59.9	50.8	65.5	70.7
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.7	5.2	12.5	35.0	63.9	84.2	62.3	81.9	88.6	81.6
	胃	C16	0.0	0.0	0.0	0.0	0.0	3.0	2.7	10.6	11.1	31.4	69.8	179.4	198.0	322.5	445.8	528.2	662.7	636.5
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	26.6	34.0	74.8	126.9	210.8	312.2	409.9	381.3	477.8	457.0
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	15.5	13.1	42.4	59.1	119.8	184.9	256.5	259.9	312.1	348.2
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	11.1	20.9	32.4	67.8	91.0	127.4	153.4	121.5	165.7	108.8
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	3.0	0.0	8.5	8.9	10.5	22.4	39.4	63.9	154.1	175.0	240.1	319.8	277.4
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.2	0.0	7.5	6.6	25.5	18.5	36.0	62.1	69.4	185.0
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	7.9	12.5	21.9	46.3	76.0	88.7	110.2	146.4	108.8
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7.5	8.8	17.6	18.5	28.8	50.8	23.1	21.8
	肺	C33-C34	0.0	0.0	0.0	0.0	3.3	0.0	0.0	2.1	8.9	7.9	29.9	109.4	190.0	306.1	366.7	562.1	743.7	826.9
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.2	2.6	12.5	8.8	11.2	20.5	55.1	73.4	80.9	146.9
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	15.0	80.9	169.3	328.7	558.5	649.7	662.7	560.3
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.6	5.0	15.3	31.9	43.1	83.9	118.6	177.2	212.2
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	3.1	0.0	0.0	0.0	4.2	8.9	7.9	12.5	30.6	33.5	43.1	64.7	84.7	92.5	130.6
	脳・中枢神経系	C70-C72	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	4.4	0.0	5.0	10.9	1.6	10.3	4.8	5.6	27.0	16.3
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	3.0	2.7	4.2	2.2	0.0	2.5	10.9	6.4	12.3	4.8	0.0	0.0	5.4
	悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	3.1	3.3	3.0	2.7	0.0	2.2	15.7	12.5	28.4	27.1	37.0	62.3	90.4	142.6	103.4
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7.5	8.8	8.0	0.0	7.2	16.9	38.5	16.3	
白血病	C91-C95	0.0	0.0	3.0	0.0	3.3	3.0	0.0	2.1	4.4	5.2	10.0	6.6	20.8	12.3	31.2	39.5	34.7	70.7	
女	全部位	C00-C96	11.0	0.0	15.7	3.3	21.0	48.3	97.0	135.9	195.4	345.6	423.2	572.5	717.5	794.9	1,019.6	1,270.4	1,382.7	1,854.5
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	3.0	5.4	4.3	4.3	7.4	7.1	8.3	7.5	5.4	17.3	16.1	28.5	38.6
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.4	4.1	7.5	7.2	17.3	12.1	9.5	4.1
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	2.7	8.6	10.7	19.7	32.9	59.9	51.1	85.1	132.5	170.9	185.3	256.2
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	5.4	8.6	17.2	27.2	47.0	55.8	108.3	117.7	197.8	199.0	263.7	341.6
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.3	10.7	19.7	30.6	35.1	79.7	77.9	159.4	156.8	192.4	264.4
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.4	7.4	16.5	20.7	28.6	39.8	38.4	42.2	71.3	77.3
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	4.1	19.6	45.3	48.0	96.5	95.0	117.9
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.9	0.0	6.2	13.5	18.1	30.7	30.2	61.8	109.8
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	4.3	4.9	9.4	14.5	25.6	45.3	57.6	86.4	85.5	122.0
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.4	2.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.3	17.3	16.5	59.9	79.7	92.4	121.0	176.9	180.6	262.3
	皮膚	C43-C44	0.0	0.0	0.0	3.3	0.0	6.0	0.0	2.2	0.0	2.5	4.7	18.6	13.5	18.1	21.1	36.2	49.9	113.9
	乳房	C50	0.0	0.0	0.0	0.0	0.0	6.0	32.3	32.3	79.4	140.7	145.8	175.7	182.0	153.9	155.5	128.6	92.7	107.8
	子宮	C53-C55	0.0	0.0	0.0	0.0	7.0	18.1	29.6	47.4	47.2	34.6	72.9	68.2	69.2	57.9	46.1	38.2	47.5	52.9
	子宮頸部	C53	0.0	0.0	0.0	0.0	7.0	18.1	21.6	43.1	36.5	22.2	18.8	18.6	19.6	10.9	19.2	20.1	23.8	20.3
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	8.1	4.3	10.7	12.3	51.7	49.6	49.6	47.1	21.1	12.1	14.3	22.4
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.3	8.6	19.7	25.9	43.4	27.1	19.9	19.2	32.2	9.5	18.3
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	8.3	3.0	9.1	23.0	26.1	30.9	42.7
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	2.4	6.2	13.5	12.7	23.0	32.2	40.4	36.6
脳・中枢神経系	C70-C72	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	3.0	5.4	0.0	14.1	14.3	6.1	
甲状腺	C73	0.0	0.0	0.0	0.0	7.0	6.0	8.1	8.6	10.7	22.2	16.5	14.5	21.1	29.0	23.0	38.2	21.4	18.3	
悪性リンパ腫	C81-C85 C96	0.0	0.0	3.1	0.0	0.0	6.0	2.7	6.5	2.1	7.4	25.9	10.3	30.1	30.8	44.2	52.3	61.8	52.9	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	4.5	3.6	5.8	22.1	11.9	18.3	
白血病	C91-C95	0.0	0.0	3.1	0.0	3.5	0.0	2.7	4.3	0.0	4.9	2.4	4.1	10.5	5.4	19.2	18.1	19.0	24.4	
男女計	全部位	C00-C96	7.2	0.0	10.8	7.9	22.0	34.5	56.5	91.0	150.5	257.9	383.5	670.6	948.1	1,314.7	1,730.3	2,077.5	2,363.1	2,452.7
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	1.5	2.7	2.1	2.2	11.4	7.3	17.0	21.7	26.9	36.2	30.5	42.6	47.4
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	3.8	7.3	19.1	34.9	43.3	37.3	41.1	39.7	25.2
	胃	C16	0.0	0.0	0.0	0.0	0.0	1.5	2.7	9.6	10.9	25.4	50.8	118.0	122.4	196.3	271.9	319.4	367.4	359.7
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	2.7	7.5	21.8	30.5	60.5	90.3	158.0	208.8	292.1	274.8	345.4	373.0
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.3	13.1	16.5	36.3	46.8	99.1	128.0	202.6	199.6	238.1	287.2
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.7	14.0	24.2	43.6	58.9	80.8	89.6	75.2	107.3	85.9
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	1.5	0.0	4.3	4.4	8.9	10.9	21.3	41.1	96.2	104.5	156.2	180.8	161.3
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.1	2.5	3.6	6.4	19.4	18.3	33.0	43.5	64.7	130.3
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.2	6.4	10.9	18.1	35.6	59.7	71.4	96.3	108.7	118.4
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.6	4.3	8.5	8.7	12.8	22.3	10.3	7.4
	肺	C33-C34	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.2	6.5	12.7	23.0	84.0	133.2	192.5	230.3	337.1	395.3	415.9
	皮膚	C43-C44	0.0	0.0	0.0	1.6	0.0	3.0	0.0	2.1	1.1	2.5	8.5	13.8	12.4	19.2	36.2	51.7	61.7	122.9
	乳房																			

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2012年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96 D00-D09	3.5	0.0	6.0	12.4	23.0	20.8	16.1	57.3	108.7	183.3	368.8	848.8	1,317.4	2,019.3	2,813.9	3,412.2	4,142.1	4,292.2	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.7	5.2	12.5	39.4	71.9	90.4	67.1	87.6	100.2	92.5	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	31.0	49.7	92.2	183.8	293.8	386.2	529.7	485.8	574.1	505.9	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	20.0	26.2	59.8	102.8	175.6	246.5	342.8	330.5	377.6	386.2	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	11.1	23.6	32.4	80.9	118.2	139.7	187.0	155.4	196.5	119.7	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	3.3	0.0	0.0	2.1	8.9	7.9	29.9	109.4	190.0	306.1	369.1	562.1	743.7	826.9	
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	2.2	2.6	15.0	8.8	16.0	22.6	69.5	87.6	92.5	185.0	
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	2.2	2.2	5.2	10.0	28.4	55.9	71.9	119.8	178.0	246.6	342.7
	女	全部位	C00-C96 D00-D09	11.0	0.0	18.9	3.3	45.5	111.8	185.9	224.3	283.4	429.5	465.5	622.1	780.7	883.7	1,115.6	1,358.8	1,494.3	1,913.5
		食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.4	4.1	9.0	7.2	19.2	12.1	11.9	4.1
		大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	3.1	0.0	0.0	0.0	5.4	8.6	21.5	34.6	61.1	78.5	135.4	157.5	251.5	245.2	330.2	355.9
		結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.3	15.0	24.7	40.0	53.7	100.8	108.6	186.3	195.0	235.2	272.5
		直腸 *1	C19-C20 D011-D012	0.0	0.0	3.1	0.0	0.0	0.0	0.0	4.3	6.4	9.9	21.2	24.8	34.6	48.9	65.3	50.3	95.0	83.4
肺		C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.3	17.3	16.5	59.9	82.7	94.2	121.0	176.9	182.9	262.3	
皮膚		C43-C44 D030-D049	0.0	0.0	0.0	3.3	3.5	6.0	0.0	4.3	0.0	0.0	2.5	7.1	18.6	19.6	23.5	30.7	44.2	61.8	130.1
乳房		C50 D05	0.0	0.0	0.0	0.0	0.0	9.1	37.7	43.1	90.2	162.9	159.9	186.0	191.0	173.8	169.0	142.7	99.8	111.8	
子宮		C53-C55 D06	0.0	0.0	0.0	0.0	28.0	78.6	113.2	120.8	118.1	83.9	84.6	80.6	76.7	61.6	49.9	40.2	49.9	56.9	
子宮頸部		C53 D06	0.0	0.0	0.0	0.0	28.0	78.6	105.1	116.5	107.4	71.6	30.6	31.0	27.1	14.5	23.0	22.1	26.1	24.4	
膀胱		C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.9	0.0	12.4	12.0	25.4	34.6	40.2	45.1	56.9	
男女計		全部位	C00-C96 D00-D09	7.2	0.0	12.3	7.9	33.9	65.9	100.8	140.2	197.5	310.0	418.5	732.2	1,041.0	1,415.7	1,871.0	2,212.6	2,504.2	2,560.7
		食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.3	3.8	7.3	21.3	39.5	46.2	40.5	43.5	45.6	28.1
		大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	1.5	0.0	0.0	0.0	2.7	8.6	26.2	41.9	76.2	129.7	212.2	264.7	375.3	345.3	423.2	396.7
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.3	17.5	25.4	49.6	77.6	137.1	173.2	255.9	251.3	289.5	303.4	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	1.5	0.0	0.0	0.0	0.0	4.3	8.7	16.5	26.6	52.1	75.1	91.4	119.4	94.0	133.7	93.3	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.2	6.5	12.7	23.0	84.0	134.8	193.4	231.3	337.1	396.8	415.9	
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	1.6	1.7	3.0	0.0	4.3	1.1	2.5	10.9	13.8	17.8	23.1	48.0	62.2	73.5	145.1	
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	4.5	18.8	21.4	45.8	83.9	82.3	95.6	98.4	92.4	93.8	83.4	61.7	84.4	
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.2	5.1	4.8	20.2	33.3	47.2	72.5	97.5	122.0	134.7	

*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別
A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2012年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	9,980	7.3	6.4	27.8	0.0	58.6
口腔・咽頭	C00-C14	204	0.5	2.5	9.3	0.0	87.7
食道	C15	219	3.2	8.7	22.4	0.0	65.8
胃	C16	1,473	7.4	11.3	25.9	0.0	55.4
大腸(結腸・直腸)	C18-C20	1,503	6.9	6.7	23.0	0.0	63.5
結腸	C18	1,017	6.8	6.1	26.5	0.0	60.6
直腸	C19-C20	486	7.2	7.8	15.4	0.0	69.5
肝および肝内胆管	C22	598	0.3	2.7	56.9	0.0	40.1
胆のう・胆管	C23-C24	239	0.4	1.7	35.6	0.0	62.3
膵臓	C25	403	0.5	2.7	27.8	0.0	69.0
喉頭	C32	65	1.5	0.0	3.1	0.0	95.4
肺	C33-C34	1,400	5.0	10.4	38.7	0.1	45.9
皮膚	C43-C44	264	0.0	0.0	6.4	0.0	93.6
乳房	C50	698	23.1	2.1	8.7	0.0	66.0
乳房(女性のみ)	C50	696	23.1	2.2	8.8	0.0	65.9
子宮	C53-C55	293	15.0	1.7	10.2	0.0	73.0
子宮頸部	C53	136	24.3	1.5	11.0	0.0	63.2
子宮体部	C54	151	7.3	2.0	8.6	0.0	82.1
卵巣	C56	108	2.8	0.9	14.8	0.0	81.5
前立腺	C61	1,000	20.2	7.2	32.9	0.0	39.7
膀胱	C67	268	0.4	2.2	24.6	0.0	72.8
腎・尿路(膀胱除く)	C64-C66 C68	249	1.2	6.0	40.6	0.0	52.2
脳・中枢神経系	C70-C72	52	0.0	5.8	9.6	0.0	84.6
甲状腺	C73	135	2.2	11.9	31.9	0.0	54.1
悪性リンパ腫	C81-C85 C96	321	0.9	3.4	27.1	0.3	68.2
多発性骨髄腫	C88-C90	56	1.8	5.4	46.4	0.0	46.4
白血病	C91-C95	120	0.0	9.2	35.8	0.0	55.0

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2012年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	10,900	8.3	6.6	27.8	0.0	57.3
食道	C15 D001	241	2.9	8.7	25.7	0.0	62.7
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,903	8.1	8.7	26.0	0.0	57.2
結腸 *1	C18 D010	1,304	7.9	8.4	28.8	0.0	54.8
直腸 *1	C19-C20 D011-D012	599	8.5	9.3	19.7	0.0	62.4
肺	C33-C34 D021-D022	1,405	5.0	10.4	38.7	0.1	45.8
皮膚	C43-C44 D030-D049	323	0.0	0.0	7.1	0.0	92.9
乳房	C50 D05	767	24.4	2.2	9.0	0.0	64.4
乳房 (女性のみ)	C50 D05	765	24.4	2.2	9.0	0.0	64.3
子宮	C53-C55 D06	461	31.9	3.3	11.1	0.0	53.8
子宮頸部	C53 D06	304	44.7	3.9	11.8	0.0	39.5
膀胱	C67 D090	432	0.2	2.3	25.7	0.0	71.8

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別
 A. 上皮内がんを除く
 国内DCOを除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	9,980	44.7	8.6	15.0	19.9	11.8
口腔・咽頭	C00-C14	204	34.8	16.7	31.9	7.4	9.3
食道	C15	219	29.7	12.8	32.9	16.9	7.8
胃	C16	1,473	53.6	10.2	10.3	19.8	6.1
大腸 (結腸・直腸)	C18-C20	1,503	41.8	17.0	12.8	21.8	6.5
結腸	C18	1,017	40.2	15.8	14.0	23.4	6.6
直腸	C19-C20	486	45.3	19.5	10.5	18.5	6.2
肝および肝内胆管	C22	598	59.0	1.5	14.2	9.7	15.6
胆のう・胆管	C23-C24	239	18.0	0.4	41.4	21.3	18.8
膵臓	C25	403	5.0	1.7	30.3	50.6	12.4
喉頭	C32	65	66.2	6.2	23.1	0.0	4.6
肺	C33-C34	1,400	30.6	10.1	11.1	39.1	9.1
皮膚	C43-C44	264	88.6	2.3	2.3	0.4	6.4
乳房	C50	698	59.0	20.3	4.4	6.6	9.6
乳房 (女性のみ)	C50	696	59.1	20.4	4.5	6.6	9.5
子宮	C53-C55	293	58.7	3.4	24.6	8.5	4.8
子宮頸部	C53	136	52.9	1.5	34.6	8.8	2.2
子宮体部	C54	151	66.2	5.3	15.2	7.3	6.0
卵巣	C56	108	20.4	0.9	49.1	22.2	7.4
前立腺	C61	1,000	65.4	1.3	14.4	11.1	7.8
膀胱	C67	268	62.7	1.9	13.4	6.0	16.0
腎・尿路 (膀胱除く)	C64-C66 C68	249	49.0	2.0	20.9	16.9	11.2
脳・中枢神経系	C70-C72	52	46.2	0.0	11.5	3.8	38.5
甲状腺	C73	135	44.4	26.7	15.6	4.4	8.9
悪性リンパ腫	C81-C85 C96	321	22.7	0.3	16.8	38.9	21.2
多発性骨髄腫	C88-C90	56	0.0	0.0	0.0	3.6	96.4
白血病	C91-C95	120	0.8	0.0	0.0	0.0	99.2

表5. 臨床進行度分布 (%) ; 部位別
B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	000-C96 D00-D09	10,900	8.3	40.9	7.9	13.7	18.3	10.9
食道	C15 D001	241	9.1	27.0	11.6	29.9	15.4	7.1
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,903	21.0	33.1	13.5	10.1	17.2	5.1
結腸 *1	C18 D010	1,304	21.9	31.4	12.3	10.9	18.3	5.2
直腸 *1	C19-C20 D011-D012	599	18.9	36.7	15.9	8.5	15.0	5.0
肺	C33-C34 D021-D022	1,405	0.4	30.5	10.1	11.0	38.9	9.0
皮膚	C43-C44 D030-D049	323	18.0	72.4	1.9	1.9	0.3	5.6
乳房	C50 D05	767	8.3	53.7	18.5	4.0	6.0	9.4
乳房 (女性のみ)	C50 D05	765	8.4	53.7	18.6	4.1	6.0	9.3
子宮	C53-C55 D06	461	36.4	37.3	2.2	15.6	5.4	3.0
子宮頸部	C53 D06	304	55.3	23.7	0.7	15.5	3.9	1.0
膀胱	C67 D090	432	37.0	38.9	1.2	8.3	3.7	10.9

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2012年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	9,980	56.6	8.4	39.2	20.8
口腔・咽頭	C00-C14	204	53.9	30.9	42.2	18.6
食道	C15	219	50.7	26.5	47.9	16.4
胃	C16	1,473	77.8	0.2	25.9	13.4
大腸 (結腸・直腸)	C18-C20	1,503	84.5	0.7	38.6	11.9
結腸	C18	1,017	83.1	0.2	37.6	12.7
直腸	C19-C20	486	87.4	1.9	40.7	10.3
肝および肝内胆管	C22	598	21.4	2.5	37.8	28.3
胆のう・胆管	C23-C24	239	57.7	1.3	24.3	29.7
膵臓	C25	403	33.3	3.0	53.8	33.3
喉頭	C32	65	36.9	60.0	38.5	16.9
肺	C33-C34	1,400	38.1	14.2	37.3	29.4
皮膚	C43-C44	264	85.6	1.9	4.9	12.5
乳房	C50	698	81.2	23.4	64.8	12.0
乳房 (女性のみ)	C50	696	81.2	23.4	64.7	12.1
子宮	C53-C55	293	74.4	14.3	40.3	11.3
子宮頸部	C53	136	64.7	26.5	33.1	12.5
子宮体部	C54	151	85.4	4.0	47.7	9.3
卵巣	C56	108	73.1	0.0	69.4	14.8
前立腺	C61	1,000	30.3	9.5	50.0	21.1
膀胱	C67	268	75.7	11.6	36.6	20.9
腎・尿路 (膀胱除く)	C64-C66 C68	249	65.1	2.8	19.3	25.3
脳・中枢神経系	C70-C72	52	48.1	46.2	48.1	36.5
甲状腺	C73	135	70.4	3.7	4.4	26.7
悪性リンパ腫	C81-C85 C96	321	10.9	6.2	57.9	34.0
多発性骨髄腫	C88-C90	56	0.0	3.6	51.8	46.4
白血病	C91-C95	120	0.0	2.5	70.8	26.7

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2012年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	10,900	59.8	7.9	36.8	19.4
食道	C15 D001	241	52.7	24.5	43.6	17.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,903	87.5	0.6	30.5	9.7
結腸 *2	C18 D010	1,304	86.5	0.2	29.4	10.2
直腸 *2	C19-C20 D011-D012	599	89.6	1.5	33.1	8.5
肺	C33-C34 D021-D022	1,405	38.4	14.2	37.2	29.3
皮膚	C43-C44 D030-D049	323	85.4	1.5	4.6	12.4
乳房	C50 D05	767	81.9	24.4	62.3	12.0
乳房 (女性のみ)	C50 D05	765	81.8	24.4	62.2	12.0
子宮	C53-C55 D06	461	82.2	9.1	25.6	8.7
子宮頸部	C53 D06	304	81.9	11.8	14.8	7.9
膀胱	C67 D090	432	81.5	7.4	36.8	14.6

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2012年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	5,651	77.9	9.2	5.9	5.4	1.6
口腔・咽頭	C00-C14	110	74.5	9.1	6.4	8.2	1.8
食道	C15	111	64.9	14.4	12.6	7.2	0.9
胃	C16	1,146	82.3	9.3	2.7	4.8	0.9
大腸 (結腸・直腸)	C18-C20	1,270	78.1	11.6	4.7	4.5	1.1
結腸	C18	845	78.1	11.8	5.1	4.0	0.9
直腸	C19-C20	425	78.1	11.1	4.0	5.4	1.4
肝および肝内胆管	C22	128	81.3	3.1	3.9	10.2	1.6
胆のう・胆管	C23-C24	138	46.4	8.0	5.1	38.4	2.2
膵臓	C25	134	49.3	9.7	5.2	32.8	3.0
喉頭	C32	24	83.3	0.0	4.2	8.3	4.2
肺	C33-C34	534	85.6	3.7	4.7	3.9	2.1
皮膚	C43-C44	226	94.7	4.9	0.4	0.0	0.0
乳房	C50	567	85.4	3.5	9.5	0.7	0.9
乳房 (女性のみ)	C50	565	85.3	3.5	9.6	0.7	0.9
子宮	C53-C55	218	82.1	5.5	10.6	0.5	1.4
子宮頸部	C53	88	78.4	9.1	11.4	0.0	1.1
子宮体部	C54	129	85.3	3.1	10.1	0.0	1.6
卵巣	C56	79	53.2	22.8	16.5	6.3	1.3
前立腺	C61	303	78.5	12.5	5.3	2.3	1.3
膀胱	C67	203	56.7	19.2	14.3	2.5	7.4
腎・尿路 (膀胱除く)	C64-C66 C68	162	84.0	4.3	6.2	0.0	5.6
脳・中枢神経系	C70-C72	25	44.0	40.0	12.0	4.0	0.0
甲状腺	C73	95	84.2	6.3	8.4	0.0	1.1
悪性リンパ腫	C81-C85 C96	35	37.1	22.9	22.9	14.3	2.9
多発性骨髄腫	C88-C90	0
白血病	C91-C95	0

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2012年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	6,515	79.8	8.4	5.7	4.7	1.4
食道	C15 D001	127	66.9	13.4	11.0	7.1	1.6
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,665	82.0	9.5	4.1	3.4	0.8
結腸 *1	C18 D010	1,128	82.3	9.5	4.5	3.0	0.7
直腸 *1	C19-C20 D011-D012	537	81.6	9.7	3.4	4.3	1.1
肺	C33-C34 D021-D022	539	85.7	3.7	4.6	3.9	2.0
皮膚	C43-C44 D030-D049	276	94.6	4.3	1.1	0.0	0.0
乳房	C50 D05	628	85.7	4.0	8.9	0.6	0.8
乳房 (女性のみ)	C50 D05	626	85.6	4.0	8.9	0.6	0.8
子宮	C53-C55 D06	379	87.1	3.7	8.2	0.3	0.8
子宮頸部	C53 D06	249	88.4	4.0	7.2	0.0	0.4
膀胱	C67 D090	352	69.6	13.1	11.6	1.4	4.3

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別
B. 上皮内がんを含む

2012年

部位	罹患/死亡比 (IM比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCO (%)		国際 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)							
	男	女	男	女	男	女	男	女	男	女	男	女						
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計						
全部位	2.30	2.47	2.37	14.9	17.3	15.9	5.9	6.9	6.3	5.3	6.4	5.8	83.6	81.1	82.6	78.2	77.0	77.7
C00-C96 D00-D09																		
食道	1.86	1.76	1.85	11.4	18.9	12.5	5.9	8.1	6.2	5.5	8.1	5.8	93.2	91.9	93.0	91.8	86.5	91.1
大腸 (結腸・直腸) *1	4.02	3.00	3.52	11.1	13.6	12.1	4.5	5.7	5.0	4.3	5.4	4.7	92.9	88.0	90.8	92.1	87.0	90.0
結腸 *1	3.99	2.89	3.41	11.1	13.1	12.0	4.1	5.5	4.7	4.0	5.2	4.5	92.3	87.5	90.1	91.3	86.7	89.3
直腸 *1	4.06	3.35	3.78	11.1	14.9	12.4	5.3	6.3	5.7	4.8	5.9	5.2	94.0	89.1	92.3	93.5	87.8	91.5
肺	1.40	1.64	1.47	21.8	25.6	23.1	9.1	9.6	9.2	7.7	9.4	8.3	78.8	74.2	77.3	59.7	61.3	60.2
皮膚	19.13	15.73	17.16	2.6	2.9	2.8	0.0	1.7	0.9	0.0	1.2	0.6	100.0	97.7	98.8	100.0	97.7	98.8
乳房	...	5.59	5.60	0.0	7.4	7.4	0.0	2.2	2.2	0.0	2.2	2.2	100.0	95.4	95.4	100.0	94.1	94.1
子宮	-	5.60	5.60	-	6.1	6.1	-	3.2	3.2	-	3.2	3.2	-	95.4	95.4	-	92.9	92.9
子宮頸部	-	8.74	8.74	-	2.3	2.3	-	0.7	0.7	-	0.7	0.7	-	99.0	99.0	-	97.4	97.4
膀胱	4.38	3.31	4.05	8.7	15.5	10.5	2.4	7.8	3.8	2.4	7.8	3.8	92.5	87.1	91.1	88.9	81.9	87.1

*1 粘膜がんを含む