

表1. 罹患数、罹患割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）及び累積罹患率（人口100万対）： 部位別、性別

A. 上皮内がんを除く

山口県 2013年

部位	罹患数										罹患割合										粗罹患率										年齢調整罹患率										世界人口										累積罹患率(0-74歳)																																																																																																																																																																																																																																																																																																																																																																																																																																								
	I10D-10					全部					男					女					男					女					男					女					男					女					男	女																																																																																																																																																																																																																																																																																																																																																																																																																																							
	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女																																																																																																																																																																																																																																																																																																																																																																																																																																												
全部位	6,284	4,465	10,749	100.0	100.0	100.0	100.0	100.0	100.0	939.2	595.0	757.2	434.7	285.0	347.0	308.4	212.4	252.5	37.0	23.3	29.5	171	70	241	2.7	1.6	2.2	25.6	9.3	17.0	14.4	4.6	9.1	10.8	3.5	6.9	1.4	0.4	0.9	259	51	310	4.1	1.1	2.9	38.7	6.8	21.8	18.0	3.0	9.8	12.9	2.3	7.1	1.7	0.3	1.0	1,100	525	1,625	17.5	11.8	15.1	164.4	70.0	114.5	75.6	26.8	48.5	52.8	18.8	34.1	6.5	2.2	4.2	917	729	1,646	14.6	16.3	15.3	137.1	97.1	116.0	66.9	38.6	51.3	47.9	27.7	36.9	5.9	3.2	4.5	594	527	1,121	9.5	11.8	10.4	88.8	70.2	79.0	41.9	26.4	33.3	29.7	18.7	23.6	3.6	2.2	2.8	323	202	525	5.1	4.5	4.9	48.3	26.9	37.0	25.0	12.2	18.1	18.2	9.0	13.3	2.4	1.0	1.6	403	178	581	6.4	4.0	5.4	60.2	23.7	40.9	27.3	7.4	16.3	18.9	5.1	11.4	2.3	0.6	1.4	132	159	291	2.1	3.6	2.7	19.7	21.2	20.5	7.8	5.6	6.6	5.0	3.7	4.3	0.5	0.3	0.4	200	215	415	3.2	4.8	3.9	29.9	28.6	29.2	12.8	9.5	11.0	8.7	6.6	7.5	1.0	0.7	0.8	66	3	69	1.1	0.1	0.6	9.9	0.4	4.9	4.4	0.2	2.1	3.2	0.1	1.5	0.4	0.0	0.2	992	484	1,476	15.8	10.8	13.7	148.3	64.5	104.0	64.5	23.7	41.4	44.7	16.7	29.0	5.4	2.1	3.7	128	135	263	2.0	3.0	2.4	19.1	18.0	18.5	7.9	5.5	6.5	5.4	3.9	4.5	0.5	0.4	0.4	5	766	771	0.1	17.2	7.2	0.7	102.1	54.3	0.3	71.2	37.4	0.2	55.1	28.8	0.0	6.0	3.1	-	290	-	-	6.5	-	-	38.6	-	-	32.2	-	-	25.3	-	-	-	2.5	-	-	121	-	-	2.7	-	-	16.1	-	-	15.5	-	-	12.5	-	-	-	1.1	-	-	165	-	-	3.7	-	-	22.0	-	-	16.6	-	-	12.8	-	-	-	1.4	-	-	103	-	-	2.3	-	-	13.7	-	-	9.0	-	-	7.0	-	-	-	0.7	-	984	-	-	15.7	-	-	147.1	-	-	62.3	-	-	42.4	-	-	5.6	-	-	227	75	302	3.6	1.7	2.8	33.9	10.0	21.3	14.1	3.3	7.9	9.6	2.4	5.5	1.1	0.3	0.6	199	93	292	3.2	2.1	2.7	29.7	12.4	20.6	15.2	5.6	9.9	11.1	4.1	7.3	1.3	0.5	0.9	32	28	60	0.5	0.6	0.6	4.8	3.7	4.2	3.4	2.2	2.7	3.2	1.8	2.5	0.2	0.2	0.2	34	136	170	0.5	3.0	1.6	5.1	18.1	12.0	3.1	11.4	7.4	2.4	8.8	5.7	0.3	0.9	0.6	155	185	340	2.5	4.1	3.2	23.2	24.7	24.0	12.4	11.2	11.8	9.5	8.3	8.9	1.0	0.9	1.0	44	33	77	0.7	0.7	0.7	6.6	4.4	5.4	2.9	1.6	2.2	2.0	1.1	1.5	0.2	0.1	0.2	62	60	122	1.0	1.3	1.1	9.3	8.0	8.6	5.9	4.2	5.0	5.1	3.8	4.4	0.5	0.3	0.4

表1. 罹患数、罹患割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）及び累積罹患率（人口100万対）： 部位別、性別

B. 上皮内がんを含む 山口県 2013年

部位	ICD-10	罹患数				罹患割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
		男		女		男		女		男		女		男		女		男		女	
		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	C00-C96 D00-D09	6,778	4,903	11,681	100.0	100.0	100.0	100.0	1,013.1	653.3	822.9	472.0	335.6	389.9	335.4	253.0	285.6	40.3	27.0	33.0	33.0
食道	C15 D001	290	52	342	4.3	1.1	2.9	24.1	43.3	6.9	24.1	20.1	3.1	10.7	14.2	2.3	7.7	1.9	0.3	1.0	1.0
大腸(結腸・直腸)*1	C18-C20 D010-D012	1,177	859	2,036	17.4	17.5	17.4	143.4	175.9	114.5	143.4	88.8	47.1	66.1	64.3	33.9	47.9	8.0	3.9	5.8	5.8
結腸*1	C18 D010	783	629	1,412	11.6	12.8	12.1	83.8	117.0	83.8	99.5	57.0	33.1	43.9	40.9	23.6	31.5	5.0	2.7	3.8	3.8
直腸*1	C19-C20 D011-D012	394	230	624	5.8	4.7	5.3	30.6	58.9	30.6	44.0	31.8	14.0	22.2	23.3	10.3	16.4	3.0	1.2	2.0	2.0
肺	C33-C34 D021-D022	998	489	1,487	14.7	10.0	12.7	104.8	149.2	65.2	104.8	64.9	23.8	41.6	44.9	16.8	29.2	5.4	2.1	3.7	3.7
皮膚	C43-C44 D030-D049	157	161	318	2.3	3.3	2.7	22.4	23.5	21.5	22.4	9.6	6.6	7.8	6.5	4.6	5.3	0.6	0.4	0.5	0.5
乳房	C50 D05	5	827	832	0.1	16.9	7.1	58.6	0.7	110.2	58.6	0.3	78.6	41.2	0.2	60.8	31.7	0.0	6.6	3.5	3.5
子宮	C53-C55 D06	-	455	-	-	9.3	-	-	-	60.6	-	-	62.6	-	-	50.9	-	-	4.6	-	-
子宮頸部	C53 D06	-	286	-	-	5.8	-	-	-	38.1	-	-	45.9	-	-	38.1	-	-	3.2	-	-
膀胱	C67 D090	365	112	477	5.4	2.3	4.1	33.6	54.6	14.9	33.6	23.3	5.2	13.0	15.9	3.7	9.1	1.8	0.5	1.1	1.1

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別

A. 上皮内がんを除く

山口県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96	6,284	14.3	10.1	15.4	12.5	33.6	36.7	38.4	68.9	87.6	154.6	351.8	745.7	1,271.3	1,952.0	2,600.4	3,046.8	3,702.0	3,751.7	0.0	
	口腔・咽頭	C00-C14	171	0.0	0.0	0.0	0.0	3.4	0.0	5.5	6.7	0.0	5.2	30.6	34.1	57.1	64.3	74.7	48.7	49.5	36.3	0.0	
	食道	C15	259	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.1	0.0	12.7	31.8	67.2	107.1	126.1	134.6	87.5	98.5	0.0	
	胃	C16	1,100	0.0	0.0	0.0	0.0	0.0	6.1	5.5	20.0	8.5	25.8	56.1	141.0	215.0	350.7	462.2	578.4	624.0	606.3	0.0	
	大腸（結腸・直腸）	C18-C20	917	0.0	0.0	0.0	0.0	0.0	3.1	2.7	8.9	21.4	25.8	91.8	152.3	233.4	263.0	387.5	363.7	509.8	450.8	0.0	
	結腸	C18	594	0.0	0.0	0.0	0.0	0.0	3.1	0.0	6.7	10.7	18.0	45.9	100.0	127.6	161.7	245.1	249.1	346.2	383.5	0.0	
	直腸	C19-C20	323	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	10.7	7.7	45.9	52.3	105.8	101.3	142.4	114.5	163.6	67.4	0.0	
	肝および肝内胆管	C22	403	3.6	0.0	0.0	0.0	0.0	0.0	2.7	2.2	2.1	12.9	25.5	38.6	80.6	97.4	189.1	214.8	296.8	181.4	0.0	
	胆のう・胆管	C23-C24	132	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.6	5.1	4.5	8.4	19.5	60.7	83.0	117.9	124.4	0.0	
	膵臓	C25	200	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.6	7.6	22.7	43.7	48.7	63.0	106.0	159.8	139.9	0.0	
	喉頭	C32	66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	20.2	21.4	30.3	20.0	26.6	51.8	0.0	
	肺	C33-C34	992	0.0	0.0	0.0	0.0	3.4	0.0	0.0	2.2	12.8	15.5	43.3	97.8	173.0	333.1	399.2	486.8	624.0	720.3	0.0	
	皮膚	C43-C44	128	0.0	0.0	0.0	0.0	3.4	0.0	2.7	2.2	0.0	7.7	7.6	2.3	10.1	15.6	44.4	83.0	76.1	186.5	0.0	
	乳房	C50	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.9	0.0	2.9	3.8	0.0	
	前立腺	C61	984	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	81.8	179.7	360.4	480.9	549.8	605.0	492.3	0.0
	膀胱	C67	227	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	12.7	27.3	38.6	52.6	77.0	108.8	175.0	217.6	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	199	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	10.7	15.5	15.3	29.6	53.7	68.2	67.7	71.6	98.9	103.6	0.0	
	脳・中枢神経系	C70-C72	32	3.6	3.4	3.1	0.0	0.0	6.1	2.7	2.2	0.0	2.6	5.1	4.5	5.0	3.9	4.7	11.5	7.6	36.3	0.0	
	甲状腺	C73	34	0.0	0.0	0.0	0.0	0.0	3.1	0.0	2.2	2.1	7.7	0.0	9.1	8.4	7.8	11.7	11.5	15.2	10.4	0.0	
	悪性リンパ腫	C81-C85 C96	155	0.0	3.4	0.0	6.2	6.7	3.1	5.5	4.4	0.0	10.3	10.2	22.7	35.3	48.7	39.7	71.6	98.9	67.4	0.0	
	多発性骨髄腫	C88-C90	44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.5	4.5	6.7	11.7	18.7	22.9	26.6	36.3	0.0	
	白血病	C91-C95	62	3.6	0.0	6.2	3.1	3.4	6.1	5.5	0.0	2.1	5.2	2.5	9.1	6.7	25.3	14.0	17.2	30.4	41.5	0.0	
	女	全部位	C00-C96	4,465	14.9	0.0	12.8	6.6	10.6	50.0	110.6	164.8	257.5	404.3	502.1	508.9	666.9	840.8	1,099.9	1,260.6	1,532.1	1,625.6	0.0
口腔・咽頭		C00-C14	70	0.0	0.0	0.0	0.0	0.0	3.1	2.8	0.0	4.2	9.7	7.2	6.4	11.1	15.5	15.1	14.3	21.1	31.4	0.0	
食道		C15	51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	4.8	2.1	15.9	10.3	13.2	10.2	23.5	13.7	0.0	
胃		C16	525	0.0	0.0	0.0	0.0	3.5	0.0	5.5	4.5	6.3	21.8	38.4	55.8	87.7	155.0	200.6	204.1	221.6	0.0		
大腸（結腸・直腸）		C18-C20	729	0.0	0.0	0.0	0.0	0.0	0.0	11.1	9.0	29.5	33.9	45.6	49.4	132.1	132.4	189.0	251.7	260.4	307.9	0.0	
結腸		C18	527	0.0	0.0	0.0	0.0	0.0	0.0	5.5	9.0	21.1	12.1	31.2	32.2	84.4	87.7	149.3	182.1	190.0	245.1	0.0	
直腸		C19-C20	202	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	8.4	21.8	14.4	17.2	47.8	44.7	39.7	69.6	70.4	62.8	0.0	
肝および肝内胆管		C22	178	3.7	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	4.8	12.9	11.1	27.5	51.0	51.2	107.9	92.2	0.0		
胆のう・胆管		C23-C24	159	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	7.2	2.1	17.5	6.9	30.2	43.0	100.9	113.7	0.0	
膵臓		C25	215	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	7.3	9.6	10.7	25.5	32.7	56.7	69.6	110.3	107.9	0.0	
喉頭		C32	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.9	0.0	0.0	2.0	0.0	
肺		C33-C34	484	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.3	6.3	4.8	16.8	49.4	62.1	134.1	147.4	139.2	185.4	203.9	0.0	
皮膚		C43-C44	135	0.0	0.0	0.0	0.0	0.0	3.1	0.0	6.8	2.1	2.4	7.2	4.3	3.2	18.9	24.6	38.9	63.3	102.0	0.0	
乳房		C50	766	0.0	0.0	0.0	0.0	0.0	6.2	19.4	58.7	101.3	196.1	170.6	154.6	160.8	170.2	164.4	133.0	133.7	98.0	0.0	
子宮		C53-C55	290	0.0	0.0	0.0	0.0	3.5	15.6	49.8	42.9	52.8	60.5	76.9	60.1	55.7	39.5	47.2	47.1	42.2	25.5	0.0	
子宮頸部		C53	121	0.0	0.0	0.0	0.0	3.5	15.6	38.7	29.3	31.7	31.5	21.6	10.7	11.1	17.2	13.2	20.5	16.4	9.8	0.0	
子宮体部		C54	165	0.0	0.0	0.0	0.0	0.0	0.0	11.1	13.5	21.1	29.0	55.3	49.4	44.6	22.4	34.0	26.6	23.5	9.8	0.0	
卵巣		C56	103	0.0	0.0	0.0	3.3	0.0	3.1	0.0	4.5	19.0	16.9	21.6	17.2	22.3	13.8	26.5	24.6	21.1	17.6	0.0	
膀胱		C67	75	0.0	0.0	0.0	0.0	0.0	3.1	0.0	2.3	2.1	2.4	0.0	4.3	4.8	12.0	24.6	16.4	23.5	54.9	0.0	
腎・尿路（膀胱除く）		C64-C66 C68	93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	2.1	9.7	9.6	15.0	12.7	13.8	22.7	32.7	25.8	39.2	0.0	
脳・中枢神経系		C70-C72	28	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	12.0	2.1	3.2	10.3	7.6	2.0	4.7	9.8	0.0	
甲状腺		C73	136	0.0	0.0	0.0	3.3	0.0	9.4	11.1	9.0	6.3	12.1	24.0	25.8	27.1	30.9	30.2	34.8	42.2	15.7	0.0	
悪性リンパ腫		C81-C85 C96	185	0.0	0.0	0.0	0.0	0.0	6.2	0.0	4.5	4.2	12.1	24.0	19.3	28.7	39.5	45.4	69.6	54.0	64.7	0.0	
多発性骨髄腫	C88-C90	33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	3.2	13.8	5.7	14.3	16.4	7.8	0.0		
白血病	C91-C95	60	7.5	0.0	6.4	0.0	0.0	0.0	6.8	4.2	0.0	9.6	0.0	6.4	5.2	13.2	24.6	25.8	19.6	0.0			
総数	全部位	C00-C96	10,749	14.6	5.2	14.1	9.7	22.4	43.3	74.4	116.5	173.0	283.3	429.2	623.9	961.0	1,361.7	1,771.2	2,005.1	2,359.8	2,209.3	0.0	
	口腔・咽頭	C00-C14	241	0.0	0.0	0.0	0.0	1.7	1.5	4.1	3.4	2.1	7.5	18.6	19.9	33.5	38.4	41.8	28.6	31.9	32.7	0.0	
	食道	C15	310	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	3.7	8.7	16.6	40.9	55.7	63.7	62.1	47.9	37.0	0.0	
	胃	C16	1,625	0.0	0.0	0.0	0.0	1.7	3.1	5.5	12.3	7.4	23.7	47.0	97.2	133.2	211.0	292.4	358.1	364.3	327.2	0.0	
	大腸（結腸・直腸）	C18-C20	1,646	0.0	0.0	0.0	0.0	0.0	1.5	6.9	9.0	25.5	30.0	68.0	99.4	181.4	193.6	277.8	298.4	355.6	347.1	0.0	
	結腸	C18	1,121	0.0	0.0	0.0	0.0	0.0	1.5	2.8	7.8	15.9	15.0	38.3	65.2	105.4	122.4	192.2	210.1	249.6	283.1	0.0	
	直腸	C19-C20	525	0.0	0.0	0.0	0.0	0.0	0.0	4.1	1.1	9.6	15.0	29.7	34.2	76.0	71.2	85.6	88.3	105.9	64.0	0.0	
	肝および肝内胆管	C22	581	3.6	0.0	0.0	0.0	0.0	0.0	1.4	2.2	1.1	6.2	14.8	25.4	44.9	60.3	11					

表3. 年齢階級別罹患率（人口10万対）：部位別、性別

B. 上皮内がんを含む

山口県 2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C96 D00-D09	6,778	14.3	10.1	15.4	12.5	33.6	36.7	38.4	73.4	104.7	193.3	392.6	825.3	1,402.3	2,088.4	2,822.1	3,270.1	3,915.1	3,964.1	0.0		
	食道	C15 D001	290	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.1	0.0	15.3	34.1	70.5	116.9	142.4	166.1	102.7	98.5	0.0		
	大腸（結腸・直腸）*1	C18-C20 D010-D012	1,177	0.0	0.0	0.0	0.0	0.0	3.1	2.7	13.3	36.3	59.3	119.8	204.6	317.4	346.8	497.2	466.8	563.1	523.4	0.0		
	結腸 *1	C18 D010	783	0.0	0.0	0.0	0.0	0.0	3.1	0.0	8.9	21.4	36.1	56.1	134.1	198.2	220.1	331.5	323.6	391.9	435.3	0.0		
	直腸 *1	C19-C20 D011-D012	394	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.4	15.0	23.2	63.7	70.5	119.2	126.6	165.7	143.2	171.2	88.1	0.0		
	肺	C33-C34 D021-D022	998	0.0	0.0	0.0	0.0	3.4	0.0	0.0	2.2	12.8	15.5	43.3	97.8	173.0	335.1	403.8	492.5	627.8	720.3	0.0		
	皮膚	C43-C44 D030-D049	157	0.0	0.0	0.0	0.0	3.4	0.0	0.0	2.7	2.2	0.0	7.7	7.6	4.5	13.4	19.5	60.7	100.2	95.1	217.6	0.0	
	乳房	C50 D05	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.9	0.0	2.9	3.8	0.0	0.0	
	膀胱	C67 D090	365	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.2	22.9	45.5	68.9	81.8	123.7	166.1	289.2	321.3	0.0	
	女	全部位	C00-C96 D00-D09	4,903	14.9	0.0	12.8	6.6	35.5	109.3	249.0	250.6	346.1	469.6	545.4	560.4	706.7	914.7	1,181.1	1,346.6	1,616.6	1,672.7	0.0	
		食道	C15 D001	52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	4.8	2.1	17.5	10.3	13.2	10.2	23.5	13.7	0.0	
		大腸（結腸・直腸）*1	C18-C20 D010-D012	859	0.0	0.0	0.0	0.0	3.5	0.0	11.1	13.5	31.7	41.2	60.1	73.0	156.0	166.8	223.0	302.9	300.3	329.4	0.0	
		結腸 *1	C18 D010	629	0.0	0.0	0.0	0.0	3.5	0.0	5.5	13.5	23.2	19.4	38.4	51.5	100.3	116.9	175.8	221.0	222.9	262.8	0.0	
		直腸 *1	C19-C20 D011-D012	230	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	8.4	21.8	21.6	21.5	55.7	49.9	47.2	81.9	77.4	66.7	0.0	
		肺	C33-C34 D021-D022	489	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.3	6.3	4.8	16.8	49.4	62.1	134.1	147.4	143.3	190.0	205.9	0.0
		皮膚	C43-C44 D030-D049	161	0.0	0.0	0.0	0.0	0.0	3.1	0.0	6.8	4.2	2.4	7.2	4.3	4.8	22.4	34.0	47.1	77.4	115.7	0.0	
		乳房	C50 D05	827	0.0	0.0	0.0	0.0	0.0	6.2	30.4	67.7	114.0	222.7	180.2	171.8	167.1	182.3	181.4	141.2	133.7	98.0	0.0	
子宮		C63-C65 D06	455	0.0	0.0	0.0	0.0	24.8	74.9	174.3	112.9	124.5	89.6	89.6	93.7	64.4	60.5	44.7	51.0	47.1	44.6	25.5	0.0	
子宮頸部		C63 D06	286	0.0	0.0	0.0	0.0	24.8	74.9	163.2	99.3	103.4	60.5	60.5	38.4	15.0	15.9	22.4	17.0	20.5	18.8	9.8	0.0	
膀胱		C67 D090	112	0.0	0.0	0.0	0.0	0.0	3.1	0.0	2.3	2.1	2.4	2.4	0.0	10.7	6.4	27.5	39.7	24.6	42.2	62.8	0.0	
総数		C00-C96 D00-D09	11,681	14.6	5.2	14.1	9.7	34.5	72.6	143.3	161.3	226.1	335.8	471.3	689.1	1,045.2	1,464.9	1,915.3	2,148.3	2,493.3	2,301.8	0.0		
*1 粘膜がんを含む		食道	C15 D001	342	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	3.7	9.9	17.7	43.3	60.3	71.0	75.2	53.7	37.0	0.0	
		大腸（結腸・直腸）*1	C18-C20 D010-D012	2,036	0.0	0.0	0.0	0.0	1.7	1.5	6.9	13.4	34.0	49.9	89.1	136.9	234.5	251.2	345.7	371.2	400.6	382.7	0.0	
		結腸 *1	C18 D010	1,412	0.0	0.0	0.0	0.0	1.7	1.5	2.8	11.2	22.3	27.5	47.0	91.7	147.9	165.3	245.4	263.8	287.4	310.1	0.0	
		直腸 *1	C19-C20 D011-D012	624	0.0	0.0	0.0	0.0	0.0	0.0	4.1	2.2	11.7	22.5	42.1	45.3	86.6	85.9	100.3	107.4	113.2	72.6	0.0	
		肺	C33-C34 D021-D022	1,487	0.0	0.0	0.0	0.0	1.7	0.0	2.8	2.2	9.6	10.0	29.7	72.9	116.0	228.3	262.1	288.8	357.0	347.1	0.0	
	皮膚	C43-C44 D030-D049	318	0.0	0.0	0.0	0.0	1.7	1.5	1.4	4.5	2.1	5.0	7.4	4.4	9.0	21.0	46.0	69.2	84.2	143.7	0.0		
	乳房	C50 D05	832	0.0	0.0	0.0	0.0	3.1	15.2	33.6	57.3	114.8	92.8	88.3	87.4	97.7	100.3	83.5	84.2	71.1	0.0			
膀胱	C67 D090	477	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.1	3.2	3.7	11.1	27.6	36.8	53.0	77.3	83.5	136.4	133.7	0.0			

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山口県 2013年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	10,119	12.5	29.0	0.0	1.5	57.0
口腔・咽頭	C00-C14	233	0.9	15.5	0.0	0.0	83.7
食道	C15	298	8.4	25.8	0.0	0.7	65.1
胃	C16	1,537	18.9	29.7	0.0	1.3	50.2
大腸(結腸・直腸)	C18-C20	1,573	12.2	21.5	0.0	2.0	64.3
結腸	C18	1,065	12.9	24.4	0.0	2.4	60.3
直腸	C19-C20	508	10.8	15.4	0.0	1.2	72.6
肝および肝内胆管	C22	524	3.4	55.7	0.0	1.9	38.9
胆のう・胆管	C23-C24	270	3.3	32.2	0.0	4.8	59.6
膵臓	C25	367	3.0	30.0	0.0	3.5	63.5
喉頭	C32	65	0.0	12.3	0.0	0.0	87.7
肺	C33-C34	1,354	11.4	41.5	0.0	2.7	44.5
皮膚	C43-C44	261	0.0	8.0	0.0	0.0	92.0
乳房	C50	747	26.0	11.1	0.0	0.1	62.8
乳房(女性のみ)	C50	742	26.1	11.2	0.0	0.1	62.5
子宮	C53-C55	282	17.7	12.8	0.0	0.4	69.1
子宮頸部	C53	118	28.0	14.4	0.0	0.8	56.8
子宮体部	C54	162	10.5	11.7	0.0	0.0	77.8
卵巣	C56	97	5.2	17.5	0.0	0.0	77.3
前立腺	C61	950	24.7	34.5	0.0	0.1	40.6
膀胱	C67	286	1.7	29.7	0.0	0.0	68.5
腎・尿路(膀胱除く)	C64-C66 C68	279	9.3	43.7	0.0	0.7	46.2
脳・中枢神経系	C70-C72	49	2.0	14.3	0.0	2.0	81.6
甲状腺	C73	163	6.7	42.3	0.0	0.0	50.9
悪性リンパ腫	C81-C85 C96	328	3.0	23.8	0.0	2.1	71.0
多発性骨髄腫	C88-C90	72	5.6	45.8	0.0	1.4	47.2
白血病	C91-C95	106	7.5	30.2	0.0	0.9	61.3

*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山口県 2013年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	11,051	13.8	28.9	0.0	1.4	55.9
食道	C15 D001	330	8.5	30.3	0.0	0.6	60.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,963	16.4	23.5	0.0	1.6	58.5
結腸 *2	C18 D010	1,356	17.8	26.3	0.0	1.9	54.1
直腸 *2	C19-C20 D011-D012	607	13.3	17.3	0.0	1.0	68.4
肺	C33-C34 D021-D022	1,365	11.4	41.7	0.0	2.6	44.3
皮膚	C43-C44 D030-D049	316	0.0	7.3	0.0	0.0	92.7
乳房	C50 D05	808	27.0	11.4	0.0	0.1	61.5
乳房 (女性のみ)	C50 D05	803	27.1	11.5	0.0	0.1	61.3
子宮	C53-C55 D06	447	32.7	12.8	0.0	0.2	54.4
子宮頸部	C53 D06	283	45.6	13.4	0.0	0.4	40.6
膀胱	C67 D090	461	2.4	31.0	0.0	0.0	66.6

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合(%) : 部位別

A. 上皮内がんを除く

山口県

2013年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	9,981	48.7	9.6	14.4	19.3	8.0	23.9
口腔・咽頭	C00-C14	234	39.7	16.7	30.8	6.0	6.8	47.4
食道	C15	299	35.5	14.4	28.1	14.7	7.4	42.5
胃	C16	1,541	57.0	11.2	8.9	18.7	4.3	20.1
大腸(結腸・直腸)	C18-C20	1,573	43.5	18.0	11.4	21.2	5.9	29.4
結腸	C18	1,065	42.0	16.9	12.9	22.6	5.6	29.8
直腸	C19-C20	508	46.9	20.3	8.3	18.1	6.5	28.5
肝および肝内胆管	C22	528	61.4	1.3	15.5	10.6	11.2	16.9
胆のう・胆管	C23-C24	272	18.4	1.5	42.3	29.0	8.8	43.8
膵臓	C25	370	8.6	2.4	32.4	49.5	7.0	34.9
喉頭	C32	66	59.1	16.7	18.2	1.5	4.5	34.8
肺	C33-C34	1,370	36.0	9.9	8.9	37.2	8.0	18.8
皮膚	C43-C44	261	87.0	0.0	5.0	1.1	6.9	5.0
乳房	C50	747	59.7	22.4	6.3	6.8	4.8	28.6
乳房(女性のみ)	C50	742	59.6	22.4	6.3	6.9	4.9	28.7
子宮	C53-C55	282	61.7	2.8	22.3	8.9	4.3	25.2
子宮頸部	C53	118	50.0	4.2	28.8	11.0	5.9	33.1
子宮体部	C54	162	71.0	1.9	17.3	6.8	3.1	19.1
卵巣	C56	97	26.8	2.1	50.5	12.4	8.2	52.6
前立腺	C61	952	67.3	0.8	14.4	10.2	7.2	15.2
膀胱	C67	286	78.7	1.0	9.1	3.8	7.3	10.1
腎・尿路(膀胱除く)	C64-C66 C68	280	57.1	1.8	18.6	15.0	7.5	20.4
脳・中枢神経系	C70-C72	50	50.0	0.0	6.0	0.0	44.0	6.0
甲状腺	C73	163	46.0	31.3	11.7	5.5	5.5	42.9
悪性リンパ腫	C81-C85 C96	324	26.5	0.3	16.0	33.6	23.5	16.4
多発性骨髄腫	C88-C90	7	28.6	0.0	0.0	0.0	71.4	0.0
白血病	C91-C95	0	0.0	0.0	0.0	0.0	0.0	0.0

*1 DC0、777: 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合(%) : 部位別

B. 上皮内がんを含む

山口県 2013年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	10,913	8.5	44.5	8.8	13.1	17.7	7.4	21.9
食道	C15 D001	331	9.7	32.0	13.0	25.4	13.3	6.6	38.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,963	19.9	34.9	14.4	9.1	17.0	4.7	23.5
結腸 *3	C18 D010	1,356	21.5	33.0	13.3	10.1	17.8	4.4	23.4
直腸 *3	C19-C20 D011-D012	607	16.3	39.2	17.0	6.9	15.2	5.4	23.9
肺	C33-C34 D021-D022	1,381	0.8	35.7	9.8	8.8	36.9	8.0	18.7
皮膚	C43-C44 D030-D049	316	17.4	71.8	0.0	4.1	0.9	5.7	4.1
乳房	C50 D05	808	7.4	55.2	20.7	5.8	6.3	4.6	26.5
乳房 (女性のみ)	C50 D05	803	7.5	55.0	20.7	5.9	6.4	4.6	26.5
子宮	C53-C55 D06	447	36.9	38.9	1.8	14.1	5.6	2.7	15.9
子宮頸部	C53 D06	283	58.3	20.8	1.8	12.0	4.6	2.5	13.8
膀胱	C67 D090	461	38.0	48.8	0.7	5.6	2.4	4.6	6.3

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 受療割合 (%) : 部位別

A. 上皮内がんを除く

山口県 2013年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	10,160	35.5	14.8	9.8	9.1	32.2	9.1	5.1	25.6
口腔・咽頭	C00-C14	234	45.7	0.0	0.0	37.6	41.9	0.0	1.3	23.1
食道	C15	299	25.4	9.0	20.1	21.1	46.2	0.0	1.7	21.7
胃	C16	1,541	33.7	16.9	30.6	0.3	26.7	0.1	1.6	19.0
大腸 (結腸・直腸)	C18-C20	1,573	49.8	32.0	9.0	1.0	39.2	0.1	1.8	17.9
結腸	C18	1,065	50.1	31.8	9.3	0.1	38.2	0.2	2.1	17.9
直腸	C19-C20	508	49.2	32.5	8.5	3.0	41.3	0.0	1.4	17.7
肝および肝内胆管	C22	528	14.2	2.3	0.2	0.9	34.1	0.0	44.1	44.1
胆のう・胆管	C23-C24	272	32.0	5.5	24.3	1.1	27.2	0.0	11.0	33.8
膵臓	C25	370	22.2	1.1	12.4	4.6	51.4	0.0	9.7	43.0
喉頭	C32	66	37.9	0.0	1.5	63.6	34.8	0.0	0.0	13.6
肺	C33-C34	1,370	10.6	33.1	0.4	14.1	37.7	0.4	2.8	35.6
皮膚	C43-C44	261	84.7	0.0	0.0	2.7	2.7	0.0	4.2	13.8
乳房 (女性のみ)	C50	747	80.9	0.0	0.3	24.5	34.3	52.7	0.5	14.1
乳房 (女性のみ)	C50	742	80.9	0.0	0.3	24.7	34.4	52.7	0.5	14.0
子宮	C53-C55	282	74.5	0.0	0.4	13.8	34.8	0.7	2.1	17.7
子宮頸部	C53	118	61.0	0.0	0.0	28.8	33.1	0.0	4.2	20.3
子宮体部	C54	162	85.2	0.0	0.6	3.1	36.4	1.2	0.6	13.6
卵巣	C56	97	71.1	0.0	1.0	0.0	61.9	1.0	0.0	27.8
前立腺	C61	952	15.3	7.9	1.6	12.5	1.9	52.6	1.6	23.7
膀胱	C67	286	19.2	2.4	61.9	8.4	27.6	0.0	15.4	21.0
腎・尿路 (膀胱除く)	C64-C66 C68	280	30.4	45.7	0.4	3.6	17.5	0.7	1.8	22.9
脳・中枢神経系	C70-C72	50	54.0	0.0	0.0	42.0	46.0	0.0	2.0	58.0
甲状腺	C73	163	76.7	0.0	0.0	4.3	2.5	5.5	0.0	25.2
悪性リンパ腫	C81-C85 C96	329	14.3	2.7	0.6	10.6	66.0	0.6	2.7	27.1
多発性骨髄腫	C88-C90	72	4.2	0.0	0.0	11.1	61.1	4.2	4.2	34.7
白血病	C91-C95	106	0.0	0.0	0.0	0.9	75.5	0.0	14.2	37.7

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 受療割合 (%) : 部位別

B. 上皮内がんを含む

山口県 2013年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	11,092	35.3	14.0	13.4	8.6	30.0	8.5	5.3	24.2
食道	C15 D001	331	23.3	8.2	24.8	19.3	42.3	0.0	1.8	21.8
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,963	41.1	26.9	23.8	0.9	31.5	0.1	1.7	15.3
結腸 *2	C18 D010	1,356	40.6	26.7	25.3	0.1	30.2	0.1	1.9	14.9
直腸 *2	C19-C20 D011-D012	607	42.3	27.5	20.6	2.5	34.6	0.0	1.2	16.3
肺	C33-C34 D021-D022	1,381	10.5	33.6	0.4	14.0	37.4	0.4	2.8	35.3
皮膚	C43-C44 D030-D049	316	83.2	0.0	0.0	2.2	2.2	0.0	4.1	15.5
乳房	C50 D05	808	80.4	0.0	0.2	24.6	31.8	51.5	0.6	14.6
乳房 (女性のみ)	C50 D05	803	80.4	0.0	0.2	24.8	31.9	51.4	0.6	14.6
子宮	C53-C55 D06	447	80.5	0.0	0.4	8.7	21.9	0.4	7.8	14.3
子宮頸部	C53 D06	283	78.4	0.0	0.4	12.0	13.8	0.0	12.0	13.4
膀胱	C67 D090	461	16.9	2.4	67.9	6.1	27.3	0.4	15.6	14.8

*1 DC0を除く総数

*2 粘膜炎を含む

重複を含むため合計は100%にならない

表7. 観血的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

山口県 2013年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96	5,816	79.5	18.7	1.8
口腔・咽頭	C00-C14	107	82.2	16.8	0.9
食道	C15	151	76.2	22.5	1.3
胃	C16	1,173	85.8	13.6	0.7
大腸 (結腸・直腸)	C18-C20	1,314	78.4	19.9	1.8
結腸	C18	895	78.7	19.8	1.6
直腸	C19-C20	419	77.8	20.0	2.1
肝および肝内胆管	C22	86	84.9	11.6	3.5
胆のう・胆管	C23-C24	160	43.8	51.9	4.4
膵臓	C25	122	38.5	57.4	4.1
喉頭	C32	26	88.5	11.5	0.0
肺	C33-C34	561	85.7	11.2	3.0
皮膚	C43-C44	221	95.5	4.5	0.0
乳房	C50	604	86.3	11.6	2.2
乳房 (女性のみ)	C50	600	86.2	11.7	2.2
子宮	C53-C55	210	82.4	17.6	0.0
子宮頸部	C53	72	81.9	18.1	0.0
子宮体部	C54	138	82.6	17.4	0.0
卵巣	C56	69	60.9	39.1	0.0
前立腺	C61	235	77.9	21.3	0.9
膀胱	C67	225	71.6	24.4	4.0
腎・尿路 (膀胱除く)	C64-C66 C68	211	82.0	17.1	0.9
脳・中枢神経系	C70-C72	27	33.3	59.3	7.4
甲状腺	C73	125	84.8	15.2	0.0
悪性リンパ腫	C81-C85 C96	58	55.2	37.9	6.9
多発性骨髄腫	C88-C90	3	66.7	33.3	0.0
白血病	C91-C95	0	0.0	0.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

表7. 観血的治療の範囲 (%) : 部位別

B. 上皮内がんを含む

山口県 2013年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96 D00-D09	6,659	81.0	17.3	1.7
食道	C15 D001	174	77.0	21.8	1.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,684	82.1	16.4	1.5
結腸 *2	C18 D010	1,175	82.8	15.8	1.4
直腸 *2	C19-C20 D011-D012	509	80.4	17.7	2.0
肺	C33-C34 D021-D022	571	86.0	11.0	3.0
皮膚	C43-C44 D030-D049	263	94.7	4.9	0.4
乳房	C50 D05	650	87.2	10.8	2.0
乳房 (女性のみ)	C50 D05	646	87.2	10.8	2.0
子宮	C53-C55 D06	361	83.7	15.2	1.1
子宮頸部	C53 D06	223	84.3	13.9	1.8
膀胱	C67 D090	388	77.6	19.1	3.4

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

*2 粘膜がんを含む

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

山口県 2013年

部位	死亡/罹患比 (MI比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCC (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)				
	男	女	男	女	男	女	男	女	男	女			
全部位	0.48	0.45	0.46	7.7	10.6	8.9	5.5	84.0	82.4	83.4	79.5	78.2	79.0
ICD-10													
C00-C96	0.36	0.44	0.39	2.9	4.3	3.3	2.9	95.3	91.4	94.2	93.0	88.6	91.7
口腔・咽頭	0.57	0.51	0.56	4.6	7.8	5.2	3.5	90.7	90.2	90.6	89.6	90.2	89.7
C15	0.39	0.43	0.40	6.3	11.2	7.9	5.2	93.9	88.2	92.1	92.7	86.7	90.8
食道	0.34	0.41	0.37	6.8	9.7	8.1	3.6	92.4	88.5	90.6	91.7	87.5	89.9
C16	0.35	0.44	0.39	8.2	11.0	9.5	5.0	90.6	87.1	88.9	89.7	86.3	88.1
胃	0.33	0.31	0.32	4.0	6.4	5.0	3.2	95.7	92.1	94.3	95.4	90.6	93.5
大腸 (結腸・直腸)	0.83	0.92	0.86	12.2	20.2	14.6	9.1	28.3	23.0	26.7	27.3	21.9	25.6
C18-C20	0.75	0.79	0.77	9.1	20.8	15.5	6.5	72.0	47.8	58.8	56.1	40.3	47.4
結腸	1.06	0.91	0.98	12.5	20.9	16.9	7.5	47.5	40.9	44.1	37.5	34.4	35.9
直腸	0.26	0.67	0.28	6.1	0.0	5.8	4.3	93.9	66.7	92.8	93.9	66.7	92.8
肝および肝内胆管	0.73	0.63	0.70	12.8	15.5	13.7	7.2	79.0	77.7	78.6	62.7	64.0	63.1
C22	0.05	0.07	0.06	0.8	0.7	0.8	0.8	99.2	99.3	99.2	99.2	99.3	99.2
胆のう・胆管	0.00	0.20	0.20	0.0	3.7	3.6	3.1	100.0	96.3	96.4	100.0	95.4	95.5
C23-C24	-	0.27	0.27	-	4.1	4.1	2.8	-	94.5	94.5	-	91.4	91.4
膵臓	-	0.27	0.27	-	5.0	5.0	2.5	-	95.0	95.0	-	90.9	90.9
C25	-	0.18	0.18	-	2.4	2.4	1.8	-	96.4	96.4	-	93.9	93.9
喉頭	-	0.48	0.48	-	8.7	8.7	5.8	-	84.5	84.5	-	77.7	77.7
C32	0.17	-	0.17	4.0	-	4.0	3.3	92.5	-	92.5	92.1	-	92.1
肺	0.40	0.48	0.42	4.4	12.0	6.3	4.4	91.2	88.0	90.4	86.3	84.0	85.8
C33-C34	0.39	0.43	0.40	3.0	10.8	5.5	4.1	85.9	77.4	83.2	78.4	73.1	76.7
皮膚	0.44	0.29	0.37	18.8	25.0	21.7	12.5	71.9	60.7	66.7	71.9	60.7	66.7
C43-C44	0.21	0.18	0.19	2.9	6.6	5.9	4.1	97.1	93.4	94.1	82.4	81.6	81.8
乳房	0.50	0.38	0.44	7.1	8.1	7.6	3.2	92.9	93.5	93.2	91.6	88.6	90.0
C50	0.82	0.79	0.81	6.8	18.2	11.7	6.5	88.6	78.8	84.4	88.6	78.8	84.4
子宮	0.94	0.70	0.82	12.9	20.0	16.4	13.1	96.8	91.7	94.3	79.0	68.3	73.8
C53-C55													
C53													
子宮頸部													
C54													
子宮体部													
C56													
卵巣													
C61													
前立腺													
C67													
膀胱													
C64-C66 C68													
腎・尿路 (膀胱除く)													
C70-C72													
脳・中枢神経系													
C73													
甲状腺													
C81-C85 C96													
悪性リンパ腫													
C88-C90													
多発性骨髄腫													
C91-C95													
白血病													

表8. 精度指標 : 部位別、性別

B. 上皮内がんを含む

山口県 2013年

部位	ICD-10		死亡/罹患比 (MI比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCC (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)				
	男	女	男	女	男	女	男	女	男	女	男	女			
全部位	0.44	0.41	0.43	7.1	9.6	8.2	4.3	6.1	5.0	85.2	84.0	84.7	80.9	80.0	80.5
食道	0.51	0.50	0.51	4.1	7.7	4.7	3.1	3.8	3.2	91.7	90.4	91.5	90.7	90.4	90.6
大腸 (結腸・直腸) *1	0.27	0.35	0.30	5.3	8.3	6.5	2.8	4.7	3.6	94.1	90.2	92.4	93.5	89.4	91.8
結腸 *1	0.26	0.37	0.31	6.3	9.2	7.6	3.3	4.8	4.0	92.8	89.2	91.2	92.2	88.6	90.6
直腸 *1	0.27	0.27	0.27	3.3	5.7	4.2	1.8	4.3	2.7	96.4	93.0	95.2	96.2	91.7	94.6
肺	0.73	0.63	0.69	12.7	15.3	13.6	6.4	8.6	7.1	79.2	77.9	78.7	62.9	64.4	63.4
皮膚	0.04	0.06	0.05	0.6	0.6	0.6	0.6	0.6	0.6	99.4	99.4	99.4	99.4	99.4	99.4
乳房	0.00	0.19	0.19	0.0	3.4	3.4	0.0	2.9	2.9	100.0	96.6	96.6	100.0	95.5	95.6
子宮	-	0.17	0.17	-	2.6	2.6	-	1.8	1.8	-	96.5	96.5	-	93.8	93.8
子宮頸部	-	0.12	0.12	-	2.1	2.1	-	1.0	1.0	-	97.9	97.9	-	95.1	95.1
膀胱	0.25	0.32	0.27	2.7	8.0	4.0	2.7	5.4	3.4	94.5	92.0	93.9	90.4	89.3	90.1

*1 粘膜がんを含む