

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96	6,902	4,931	11,833	100.0	100.0	100.0	1,053.7	678.3	856.2	446.1	306.6	364.4	315.4	229.1	265.0	37.2	25.5	30.9
口腔・咽頭	C00-C14	179	80	259	2.6	1.6	2.2	27.3	11.0	18.7	13.7	6.1	9.6	10.1	4.8	7.2	1.2	0.5	0.8
食道	C15	268	54	322	3.9	1.1	2.7	40.9	7.4	23.3	17.7	2.6	9.5	12.7	1.8	6.9	1.8	0.2	1.0
胃	C16	1,101	507	1,608	16.0	10.3	13.6	168.1	69.7	116.4	71.6	22.4	44.6	49.9	15.8	31.4	5.9	1.8	3.8
大腸（結腸・直腸）	C18-C20	1,045	813	1,858	15.1	16.5	15.7	159.5	111.8	134.4	71.5	43.0	55.8	50.9	30.7	39.9	6.2	3.6	4.8
結腸	C18	678	606	1,284	9.8	12.3	10.9	103.5	83.4	92.9	44.9	30.5	37.0	31.8	21.6	26.2	3.8	2.5	3.2
直腸	C19-C20	367	207	574	5.3	4.2	4.9	56.0	28.5	41.5	26.5	12.5	18.9	19.1	9.1	13.7	2.3	1.0	1.6
肝および肝内胆管	C22	373	200	573	5.4	4.1	4.8	56.9	27.5	41.5	22.6	7.4	14.2	15.3	5.3	9.8	1.7	0.5	1.0
胆のう・胆管	C23-C24	130	129	259	1.9	2.6	2.2	19.8	17.7	18.7	7.1	4.0	5.4	4.9	2.7	3.7	0.5	0.3	0.4
膵臓	C25	230	228	458	3.3	4.6	3.9	35.1	31.4	33.1	15.1	10.3	12.5	10.6	7.1	8.7	1.2	0.8	1.0
喉頭	C32	66	4	70	1.0	0.1	0.6	10.1	0.6	5.1	4.4	0.4	2.2	3.1	0.3	1.6	0.4	0.0	0.2
肺	C33-C34	1,049	539	1,588	15.2	10.9	13.4	160.2	74.1	114.9	65.8	26.4	44.0	45.5	18.7	30.8	5.6	2.3	3.8
皮膚	C43-C44	151	159	310	2.2	3.2	2.6	23.1	21.9	22.4	8.3	6.2	7.0	5.7	4.5	5.0	0.5	0.5	0.5
乳房	C50	4	992	996	0.1	20.1	8.4	0.6	136.5	72.1	0.2	83.0	43.3	0.1	63.4	32.9	0.0	7.3	3.8
子宮	C53-C55	-	293	293	-	5.9	2.5	-	40.3	-	-	31.2	-	-	24.5	-	-	2.5	-
子宮頸部	C53	-	119	119	-	2.4	1.0	-	16.4	-	-	14.0	-	-	11.1	-	-	1.1	-
子宮体部	C54	-	171	171	-	3.5	1.4	-	23.5	-	-	17.1	-	-	13.2	-	-	1.5	-
卵巣	C56	-	101	101	-	2.0	0.9	-	13.9	-	-	10.8	-	-	8.7	-	-	0.9	-
前立腺	C61	1,198	-	1,198	17.4	-	10.1	182.9	-	-	67.5	-	-	44.6	-	-	5.5	-	-
膀胱	C67	258	76	334	3.7	1.5	2.8	39.4	10.5	24.2	15.3	3.0	8.4	10.5	1.9	5.8	1.2	0.2	0.7
腎・尿路（膀胱除く）	C64-C66 C68	210	124	334	3.0	2.5	2.8	32.1	17.1	24.2	14.9	7.0	10.6	10.9	5.1	7.8	1.4	0.6	1.0
脳・中枢神経系	C70-C72	33	23	56	0.5	0.5	0.5	5.0	3.2	4.1	3.7	1.0	2.4	3.9	0.7	2.3	0.3	0.1	0.2
甲状腺	C73	46	121	167	0.7	2.5	1.4	7.0	16.6	12.1	4.4	12.8	8.6	3.3	10.4	6.9	0.3	1.1	0.7
悪性リンパ腫	C81-C85 C96	213	168	381	3.1	3.4	3.2	32.5	23.1	27.6	14.8	9.3	11.8	10.7	6.6	8.5	1.2	0.8	1.0
多発性骨髄腫	C88-C90	51	39	90	0.7	0.8	0.8	7.8	5.4	6.5	2.9	2.1	2.4	2.0	1.5	1.7	0.2	0.2	0.2
白血病	C91-C95	80	73	153	1.2	1.5	1.3	12.2	10.0	11.1	6.7	5.8	6.2	5.4	5.1	5.2	0.5	0.5	0.5

1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96 D00-D09	7,538	5,491	13,029	100.0	100.0	100.0	1,150.8	755.3	942.8	492.5	366.5	416.4	348.7	276.4	304.6	41.3	30.1	35.2
食道	C15 D001	297	58	355	3.9	1.1	2.7	45.3	8.0	25.7	20.1	2.7	10.8	14.6	1.9	7.8	2.0	0.3	1.1
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,342	969	2,311	17.8	17.6	17.7	204.9	133.3	167.2	94.9	53.8	72.5	68.0	38.5	52.1	8.4	4.5	6.4
結腸 2	C18 D010	888	717	1,605	11.8	13.1	12.3	135.6	98.6	116.1	60.9	38.1	48.4	43.3	27.1	34.5	5.4	3.2	4.2
直腸 2	C19-C20 D011-D012	454	252	706	6.0	4.6	5.4	69.3	34.7	51.1	34.0	15.7	24.1	24.7	11.4	17.6	3.1	1.3	2.1
肺	C33-C34 D021-D022	1,052	540	1,592	14.0	9.8	12.2	160.6	74.3	115.2	66.0	26.5	44.1	45.6	18.7	30.8	5.6	2.3	3.8
皮膚	C43-C44 D030-D049	175	186	361	2.3	3.4	2.8	26.7	25.6	26.1	9.6	7.3	8.2	6.7	5.2	5.8	0.6	0.6	0.6
乳房	C50 D05	5	1,099	1,104	0.1	20.0	8.5	0.8	151.2	79.9	0.3	94.8	49.4	0.2	72.6	37.6	0.0	8.3	4.3
子宮	C53-C55 D06	-	463	463	-	8.4	3.6	-	63.7	-	-	61.6	-	-	49.7	-	-	4.7	-
子宮頸部	C53 D06	-	289	289	-	5.3	2.2	-	39.8	-	-	44.4	-	-	36.4	-	-	3.2	-
膀胱	C67 D090	481	129	610	6.4	2.3	4.7	73.4	17.7	44.1	29.7	5.9	16.5	20.6	4.0	11.5	2.4	0.5	1.4

1 総数は男女および性別不詳の合計

2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,902	10	1	3	6	2	10	12	24	48	92	117	273	561	1,232	1,184	1,218	1,127	688	241	49	4	0	
	口腔・咽頭	C00-C14	179	0	0	0	0	0	0	0	2	3	9	3	11	24	37	30	28	14	15	3	0	0	0	
	食道	C15	268	0	0	0	0	0	0	0	2	5	2	9	28	70	59	31	39	15	7	1	0	0	0	
	胃	C16	1,101	0	0	0	0	0	1	4	0	11	18	22	49	93	164	202	198	177	117	41	3	1	0	
	大腸（結腸・直腸）	C18-C20	1,045	0	0	0	0	0	1	2	3	6	24	25	57	104	192	177	177	144	93	31	8	1	0	
	結腸	C18	678	0	0	0	0	0	1	2	1	4	14	16	31	57	128	116	114	97	70	20	7	0	0	
	直腸	C19-C20	367	0	0	0	0	0	0	0	2	2	10	9	26	47	64	61	63	47	23	11	1	1	0	
	肝および肝内胆管	C22	373	0	0	1	0	0	0	0	1	1	5	5	13	25	54	54	81	77	42	11	3	0	0	
	胆のう・胆管	C23-C24	130	0	0	0	0	0	0	0	0	0	0	0	3	14	14	20	23	21	26	7	2	0	0	
	膵臓	C25	230	0	0	0	0	0	0	0	0	3	3	6	11	22	38	32	51	27	27	7	3	0	0	
	喉頭	C32	66	0	0	0	0	0	0	0	0	0	1	0	4	7	19	12	9	9	2	3	0	0	0	
	肺	C33-C34	1,049	0	0	0	0	0	0	0	3	4	10	19	37	89	183	196	188	177	105	31	6	1	0	
	皮膚	C43-C44	151	0	0	0	0	0	0	1	0	2	2	2	3	10	16	16	18	30	32	15	4	0	0	
	乳房	C50	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	
	前立腺	C61	1,198	0	0	0	0	0	0	0	0	0	2	8	21	59	229	229	245	240	118	36	10	1	0	
	膀胱	C67	258	0	0	0	0	0	0	0	1	0	6	12	15	51	32	44	43	31	18	5	0	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	210	0	0	0	0	0	1	0	3	3	3	6	9	21	55	34	17	35	13	10	0	0	0	
	脳・中枢神経系	C70-C72	33	4	0	0	0	0	1	0	1	0	1	1	5	3	6	1	4	4	1	0	1	0	0	
	甲状腺	C73	46	0	0	0	0	0	1	2	2	1	2	3	2	6	4	7	7	7	1	0	1	0	0	
	悪性リンパ腫	C81-C85 C96	213	0	0	2	1	0	0	0	1	5	2	2	14	17	44	29	35	36	18	7	0	0	0	
	多発性骨髄腫	C88-C90	51	0	0	0	0	0	0	0	0	0	1	0	1	2	9	10	12	4	8	4	0	0	0	
	白血病	C91-C95	80	1	0	0	3	0	1	0	2	2	1	3	4	7	11	9	15	12	7	2	0	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	4,931	5	0	2	7	5	12	34	56	141	169	185	258	374	655	638	672	681	577	335	109	16	0	
	口腔・咽頭	C00-C14	80	0	0	0	1	1	0	1	4	1	2	7	5	8	3	9	10	10	8	7	3	0	0	
	食道	C15	54	0	0	0	0	0	0	0	0	0	2	0	1	3	10	10	9	9	5	3	2	0	0	
	胃	C16	507	0	0	0	0	1	0	0	3	5	4	7	11	33	56	74	77	81	93	49	12	1	0	
	大腸（結腸・直腸）	C18-C20	813	0	0	0	0	0	0	2	5	18	14	20	29	58	124	103	129	143	88	59	18	3	0	
	結腸	C18	606	0	0	0	0	0	0	0	3	10	7	17	22	41	86	80	92	113	69	48	16	2	0	
	直腸	C19-C20	207	0	0	0	0	0	0	2	2	8	7	3	7	17	38	23	37	30	19	11	2	1	0	
	肝および肝内胆管	C22	200	1	0	0	0	1	0	0	0	0	1	1	3	10	13	17	41	37	40	21	12	2	0	
	胆のう・胆管	C23-C24	129	0	0	0	0	0	0	0	0	0	0	1	0	0	7	11	10	17	22	33	21	7	0	
	膵臓	C25	228	0	0	0	0	0	0	1	0	1	5	4	8	12	22	28	32	55	29	23	6	2	0	
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	
	肺	C33-C34	539	0	0	0	0	0	0	1	0	3	10	12	20	35	78	81	86	93	71	37	9	3	0	
	皮膚	C43-C44	159	0	0	0	0	0	0	1	0	2	0	1	9	7	13	18	17	13	33	29	13	3	0	
	乳房	C50	992	0	0	0	0	1	1	6	20	61	75	70	71	97	164	155	103	82	58	22	6	0	0	
	子宮	C53-C55	293	0	0	0	0	0	4	8	12	27	28	27	35	30	39	24	21	18	13	5	2	0	0	
	子宮頸部	C53	119	0	0	0	0	0	4	5	6	18	12	8	11	12	10	9	8	8	5	2	1	0	0	
	子宮体部	C54	171	0	0	0	0	0	0	3	6	9	16	19	24	18	28	15	13	9	7	3	1	0	0	
	卵巣	C56	101	0	0	0	0	1	3	4	3	5	8	12	9	11	15	11	8	4	5	1	1	0	0	
	膀胱	C67	76	0	0	0	0	0	0	0	0	0	0	0	5	2	3	14	9	22	9	11	1	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	124	0	0	0	0	0	0	1	0	2	4	5	5	9	16	16	26	13	14	12	1	0	0	
	脳・中枢神経系	C70-C72	23	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	3	0	5	5	2	1	0	
	甲状腺	C73	121	0	0	1	1	0	3	5	5	7	7	7	16	16	21	8	11	4	3	4	2	0	0	
	悪性リンパ腫	C81-C85 C96	168	0	0	0	0	0	0	1	1	3	2	3	14	11	21	23	29	26	24	8	2	0	0	
	多発性骨髄腫	C88-C90	39	0	0	0	0	0	0	0	0	1	1	1	3	3	4	2	6	10	6	1	1	0	0	
	白血病	C91-C95	73	1	0	1	3	0	0	2	1	3	0	3	3	3	8	13	7	8	9	5	3	3	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数	2 全部位	C00-C96	11,833	15	1	5	13	7	22	46	80	189	261	302	531	935	1,887	1,822	1,890	1,808	1,265	576	158	20	0	
	口腔・咽頭	C00-C14	259	0	0	0	1	1	0	1	6	4	11	10	16	32	40	39	38	24	23	10	3	0	0	
	食道	C15	322	0	0	0	0	0	0	0	2	7	2	10	31	80	69	40	48	20	10	3	0	0	0	
	胃	C16	1,608	0	0	0	0	1	1	4	3	16	22	29	60	126	220	276	275	258	210	90	15	2	0	
	大腸（結腸・直腸）	C18-C20	1,858	0	0	0	0	0	1	4	8	24	38	45	86	162	316	280	306	287	181	90	26	4	0	
	結腸	C18	1,284	0	0	0	0	0	1	2	4	14	21	33	53	98	214	196	206	210	139	68	23	2	0	
	直腸	C19-C20	574	0	0	0	0	0	0	2	4	10	17	12	33	64	102	84	100	77	42	22	3	2	0	
	肝および肝内胆管	C22	573	1	0	1	0	1	0	0	1	1	6	6	16	35	67	71	122	114	82	32	15	2	0	
	胆のう・胆管	C23-C24	259	0	0	0	0	0	0	0	0	0	1	0	3	21	25	30	40	43	59	28	9	0	0	
	膵臓	C25	458	0	0	0	0	0	0	0	1	0	4	8	10	19	34	60	60	83	82	56	30	9	2	0
	喉頭	C32	70	0	0	0	0	0	0	0	0	0	1	0	6	7	19	14	9	9	2	3	0	0	0	
	肺	C33-C34	1,588	0	0	0	0	0	0	1	3	7	20	31	57	124	261	277	274	270	176	68	15	4	0	
	皮膚	C43-C44	310	0	0	0	0	0	0	0	2	0	4	2	3	12	17	29	34	35	43	65	44	17	3	0
	乳房	C50	996	0	0	0	0	1	1	6	20	61	75	70	71	97	165	156	103	83	59	22	6	0	0	
	子宮	C53-C55	293	0	0	0	0	0	0	4	8	12	27	28	27	35	30	39	24	21	18	13	5	2	0	0
	子宮頸部	C53	119	0	0	0	0	0	0	4	5	6	18	12	8	11	12	10	9	8	8	5	2	1	0	0
	子宮体部	C54	171	0	0	0	0	0	0	3	6	9	16	19	24	18	28	15	13	9	7	3	1	0	0	
	卵巣	C56	101	0	0	0	0	1	3	4	3	5	8	12	9	11	15	11	8	4	5	1	1	0	0	
	前立腺	C61	1,198	0	0	0	0	0	0	0	0	0	2	8	21	59	229	229	245	240	118	36	10	1	0	
	膀胱	C67	334	0	0	0	0	0	0	0	0	1	0	6	17	17	54	46	53	65	40	29	6	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	334	0	0	0	0	0	1	1	3	5	7	11	14	30	71	50	43	48	27	22	1	0	0	
	脳・中枢神経系	C70-C72	56	4	0	0	0	0	1	0	1	0	1	2	6	4	10	4	4	9	6	2	2	0	0	
	甲状腺	C73	167	0	0	1	1	0	4	7	7	8	9	10	18	22	25	15	18	11	4	4	3	0	0	
	悪性リンパ腫	C81-C85 C96	381	0	0	2	1	0	0	1	2	8	4	5	28	28	65	52	64	62	42	15	2	0	0	
	多発性骨髄腫	C88-C90	90	0	0	0	0	0	0	0	0	1	2	1	4	5	13	12	18	14	14	5	1	0	0	
	白血病	C91-C95	153	2	0	1	6	0	1	2	3	5	1	6	7	15	24	16	23	21	12	5	3	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	7,538	11	1	3	6	2	10	12	29	58	102	139	320	619	1,344	1,308	1,320	1,216	728	256	50	4	0	
	食道	C15 D001	297	0	0	0	0	0	0	0	0	2	5	4	12	35	75	65	35	41	15	7	1	0	0	
	大腸（結腸・直腸）	C18-C20 D010-D012	1,342	0	0	0	0	0	0	1	2	6	12	31	39	83	134	252	241	211	180	105	36	8	1	0
	結腸	C18 D010	888	0	0	0	0	0	0	1	2	2	7	16	27	51	75	170	161	139	129	79	22	7	0	0
	直腸	C19-C20 D011-D012	454	0	0	0	0	0	0	0	0	4	5	15	12	32	59	82	80	72	51	26	14	1	1	0
	肺	C33-C34 D021-D022	1,052	0	0	0	0	0	0	0	0	3	4	10	19	37	89	184	197	188	178	105	31	6	1	0
	皮膚	C43-C44 D030-D049	175	0	0	0	0	0	0	1	0	2	3	2	4	11	20	18	20	36	37	17	4	0	0	
	乳房	C50 D05	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	1	0	0	
	膀胱	C67 D090	481	1	0	0	0	0	0	0	0	2	2	0	12	23	29	85	73	91	80	51	26	6	0	0
	女	全部位	C00-C96 D00-D09	5,491	5	0	2	7	10	24	64	93	181	215	226	291	426	708	705	734	725	603	346	110	16	0
食道		C15 D001	58	0	0	0	0	0	0	0	0	0	0	2	0	1	3	10	13	9	9	6	3	2	0	0
大腸（結腸・直腸）		C18-C20 D010-D012	969	0	0	0	0	0	0	2	11	18	14	30	41	77	142	133	159	165	95	61	18	3	0	
結腸		C18 D010	717	0	0	0	0	0	0	0	8	10	7	23	32	52	99	101	113	129	75	50	16	2	0	
直腸		C19-C20 D011-D012	252	0	0	0	0	0	0	2	3	8	7	7	9	25	43	32	46	36	20	11	2	1	0	
肺		C33-C34 D021-D022	540	0	0	0	0	0	0	1	0	3	10	12	20	35	78	81	87	93	71	37	9	3	0	
皮膚		C43-C44 D030-D049	186	0	0	0	0	0	1	1	0	2	0	1	9	7	14	21	24	19	37	34	13	3	0	
乳房		C50 D05	1,099	0	0	0	0	1	1	7	23	71	95	82	79	113	176	163	113	83	63	23	6	0	0	
子宮		C53-C55 D06	463	0	0	0	0	5	15	36	40	56	53	42	44	37	46	28	22	19	13	5	2	0	0	
子宮頸部		C53 D06	289	0	0	0	0	5	15	33	34	47	37	23	20	19	17	13	9	9	5	2	1	0	0	
膀胱	C67 D090	129	0	0	0	0	0	0	0	0	0	0	1	3	7	7	8	25	15	33	16	13	1	0	0	
総数	3全部位	C00-C96 D00-D09	13,029	16	1	5	13	12	34	76	122	239	317	365	611	1,045	2,052	2,013	2,054	1,941	1,331	602	160	20	0	
	食道	C15 D001	355	0	0	0	0	0	0	0	0	2	7	4	13	38	85	78	44	50	21	10	3	0	0	
	大腸（結腸・直腸）	C18-C20 D010-D012	2,311	0	0	0	0	0	1	4	17	30	45	69	124	211	394	374	370	345	200	97	26	4	0	
	結腸	C18 D010	1,605	0	0	0	0	0	1	2	10	17	23	50	83	127	269	262	252	258	154	72	23	2	0	
	直腸	C19-C20 D011-D012	706	0	0	0	0	0	2	7	13	22	19	41	84	125	112	118	87	46	25	3	2	0		
	肺	C33-C34 D021-D022	1,592	0	0	0	0	0	1	3	7	20	31	57	124	262	278	275	271	176	68	15	4	0		
	皮膚	C43-C44 D030-D049	361	0	0	0	0	1	2	0	4	3	3	13	18	34	39	44	55	74	51	17	3	0		
	乳房	C50 D05	1,104	0	0	0	1	1	7	23	71	95	82	79	113	178	164	113	84	64	23	6	0	0		
	子宮	C53-C55 D06	463	0	0	0	5	15	36	40	56	53	42	44	37	46	28	22	19	13	5	2	0	0		
	子宮頸部	C53 D06	289	0	0	0	5	15	33	34	47	37	23	20	19	17	13	9	9	5	2	1	0	0		
膀胱	C67 D090	610	1	0	0	0	0	0	0	2	2	1	15	30	36	93	98	106	113	67	39	7	0	0		

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数 1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,053.7	38.5	3.6	10.0	18.2	6.7	33.3	35.3	64.9	102.1	204.4	307.9	682.5	1,246.7	2,053.3	2,631.1	3,291.9	4,025.0	4,091.7	-
	口腔・咽頭	C00-C14	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	6.4	20.0	7.9	27.5	53.3	61.7	66.7	75.7	50.0	75.0	-
	食道	C15	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.1	5.3	22.5	62.2	116.7	131.1	83.8	139.3	95.8	-
	胃	C16	168.1	0.0	0.0	0.0	0.0	0.0	3.3	11.8	0.0	23.4	40.0	57.9	122.5	206.7	273.3	448.9	535.1	632.1	675.0	-
	大腸（結腸・直腸）	C18-C20	159.5	0.0	0.0	0.0	0.0	0.0	3.3	5.9	8.1	12.8	53.3	65.8	142.5	231.1	320.0	393.3	478.4	514.3	554.2	-
	結腸	C18	103.5	0.0	0.0	0.0	0.0	0.0	3.3	5.9	2.7	8.5	31.1	42.1	77.5	126.7	213.3	257.8	308.1	346.4	404.2	-
	直腸	C19-C20	56.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.3	22.2	23.7	65.0	104.4	106.7	135.6	170.3	167.9	150.0	-
	肝および肝内胆管	C22	56.9	0.0	0.0	3.3	0.0	0.0	0.0	0.0	2.7	2.1	11.1	13.2	32.5	55.6	90.0	120.0	218.9	275.0	233.3	-
	胆のう・胆管	C23-C24	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	31.1	23.3	44.4	62.2	75.0	145.8	-
	膵臓	C25	35.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	6.7	15.8	27.5	48.9	63.3	71.1	137.8	96.4	154.2	-
	喉頭	C32	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	10.0	15.6	31.7	26.7	24.3	32.1	20.8	-
	肺	C33-C34	160.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	8.5	22.2	50.0	92.5	197.8	305.0	435.6	508.1	632.1	595.8	-
	皮膚	C43-C44	23.1	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.3	4.4	5.3	7.5	22.2	26.7	35.6	48.6	107.1	212.5	-
	乳房	C50	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.2	0.0	3.6	4.2	-
	前立腺	C61	182.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	21.1	52.5	131.1	381.7	508.9	662.2	857.1	687.5	-
	膀胱	C67	39.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	15.8	30.0	33.3	85.0	71.1	118.9	153.6	225.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	32.1	0.0	0.0	0.0	0.0	0.0	3.3	0.0	8.1	6.4	6.7	15.8	22.5	46.7	91.7	75.6	45.9	125.0	95.8	-
	脳・中枢神経系	C70-C72	5.0	15.4	0.0	0.0	0.0	0.0	3.3	0.0	2.7	0.0	2.2	2.6	12.5	6.7	10.0	2.2	10.8	14.3	8.3	-
	甲状腺	C73	7.0	0.0	0.0	0.0	0.0	0.0	3.3	5.9	5.4	2.1	4.4	7.9	5.0	13.3	6.7	15.6	18.9	25.0	8.3	-
	悪性リンパ腫	C81-C85 C96	32.5	0.0	0.0	6.7	3.0	0.0	0.0	0.0	2.7	10.6	4.4	5.3	35.0	37.8	73.3	64.4	94.6	128.6	104.2	-
	多発性骨髄腫	C88-C90	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.5	4.4	15.0	22.2	32.4	14.3	50.0	-
	白血病	C91-C95	12.2	3.8	0.0	0.0	9.1	0.0	3.3	0.0	5.4	4.3	2.2	7.9	10.0	15.6	18.3	20.0	40.5	42.9	37.5	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	678.3	20.8	0.0	6.9	21.9	18.5	44.4	103.0	151.4	306.5	367.4	462.5	614.3	779.2	992.4	1,203.8	1,371.4	1,547.7	1,819.3	-	
	口腔・咽頭	C00-C14	11.0	0.0	0.0	0.0	3.1	3.7	0.0	3.0	10.8	2.2	4.3	17.5	11.9	16.7	4.5	17.0	20.4	22.7	31.6	-	
	食道	C15	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	2.4	6.3	15.2	18.9	18.4	20.5	17.5	-	
	胃	C16	69.7	0.0	0.0	0.0	0.0	3.7	0.0	0.0	8.1	10.9	8.7	17.5	26.2	68.8	84.8	139.6	157.1	184.1	271.9	-	
	大腸（結腸・直腸）	C18-C20	111.8	0.0	0.0	0.0	0.0	0.0	0.0	6.1	13.5	39.1	30.4	50.0	69.0	120.8	187.9	194.3	263.3	325.0	294.7	-	
	結腸	C18	83.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	21.7	15.2	42.5	52.4	85.4	130.3	150.9	187.8	256.8	236.8	-	
	直腸	C19-C20	28.5	0.0	0.0	0.0	0.0	0.0	0.0	6.1	5.4	17.4	15.2	7.5	16.7	35.4	57.6	43.4	75.5	68.2	57.9	-	
	肝および肝内胆管	C22	27.5	4.2	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	2.2	2.5	7.1	20.8	19.7	32.1	83.7	84.1	131.6	-	
	胆のう・胆管	C23-C24	17.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	14.6	16.7	18.9	34.7	50.0	107.0	-	
	膵臓	C25	31.4	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	2.2	10.9	10.0	19.0	25.0	33.3	52.8	65.3	125.0	105.3	-	
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	3.8	0.0	0.0	0.0	-	
	肺	C33-C34	74.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	6.5	21.7	30.0	47.6	72.9	118.2	152.8	175.5	211.4	210.5	-	
	皮膚	C43-C44	21.9	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.3	0.0	2.5	21.4	14.6	19.7	34.0	34.7	29.5	136.8	-	
	乳房	C50	136.5	0.0	0.0	0.0	0.0	3.7	3.7	18.2	54.1	132.6	163.0	175.0	169.0	202.1	248.5	292.5	210.2	186.4	150.9	-	
	子宮	C53-C55	40.3	0.0	0.0	0.0	0.0	0.0	14.8	24.2	32.4	58.7	60.9	67.5	83.3	62.5	59.1	45.3	42.9	40.9	35.1	-	
	子宮頸部	C53	16.4	0.0	0.0	0.0	0.0	0.0	14.8	15.2	16.2	39.1	26.1	20.0	26.2	25.0	15.2	17.0	16.3	18.2	14.0	-	
	子宮体部	C54	23.5	0.0	0.0	0.0	0.0	0.0	0.0	9.1	16.2	19.6	34.8	47.5	57.1	37.5	42.4	28.3	26.5	20.5	19.3	-	
	卵巣	C56	13.9	0.0	0.0	0.0	0.0	3.7	11.1	12.1	8.1	10.9	17.4	30.0	21.4	22.9	22.7	20.8	16.3	9.1	12.3	-	
	膀胱	C67	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	4.2	4.5	26.4	18.4	50.0	36.8	-	
	腎・尿路（膀胱除く）	C64-C66 C68	17.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.3	8.7	12.5	11.9	18.8	24.2	30.2	53.1	29.5	47.4	-	
	脳・中枢神経系	C70-C72	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.4	2.1	6.1	5.7	0.0	11.4	14.0	-	
	甲状腺	C73	16.6	0.0	0.0	3.4	3.1	0.0	11.1	15.2	13.5	15.2	15.2	17.5	38.1	33.3	31.8	15.1	22.4	9.1	15.8	-	
	悪性リンパ腫	C81-C85 C96	23.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.7	6.5	4.3	7.5	33.3	22.9	31.8	43.4	59.2	59.1	59.6	-	
	多発性骨髄腫	C88-C90	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	2.5	7.1	6.3	6.1	3.8	12.2	22.7	14.0	-	
	白血病	C91-C95	10.0	4.2	0.0	3.4	9.4	0.0	0.0	6.1	2.7	6.5	0.0	7.5	7.1	16.7	19.7	13.2	16.3	20.5	19.3	-	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数	2 全部位	C00-C96	856.2		30.0	1.8	8.5	20.0	12.3	38.6	68.7	108.1	203.2	286.8	387.2	647.6	1,005.4	1,497.6	1,859.2	2,197.7	2,511.1	2,492.6	-
	口腔・咽頭	C00-C14	18.7		0.0	0.0	0.0	1.5	1.8	0.0	1.5	8.1	4.3	12.1	12.8	19.5	34.4	31.7	39.8	44.2	33.3	44.4	-
	食道	C15	23.3		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.7	2.6	12.2	33.3	63.5	70.4	46.5	66.7	40.7	-
	胃	C16	116.4		0.0	0.0	0.0	0.0	1.8	1.8	6.0	4.1	17.2	24.2	37.2	73.2	135.5	174.6	281.6	319.8	358.3	391.4	-
	大腸（結腸・直腸）	C18-C20	134.4		0.0	0.0	0.0	0.0	0.0	1.8	6.0	10.8	25.8	41.8	57.7	104.9	174.2	250.8	285.7	355.8	398.6	371.6	-
	結腸	C18	92.9		0.0	0.0	0.0	0.0	0.0	1.8	3.0	5.4	15.1	23.1	42.3	64.6	105.4	169.8	200.0	239.5	291.7	286.4	-
	直腸	C19-C20	41.5		0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.4	10.8	18.7	15.4	40.2	68.8	81.0	85.7	116.3	106.9	85.2	-
	肝および肝内胆管	C22	41.5		2.0	0.0	1.7	0.0	1.8	0.0	0.0	1.4	1.1	6.6	7.7	19.5	37.6	53.2	72.4	141.9	158.3	161.7	-
	胆のう・胆管	C23-C24	18.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.7	22.6	19.8	30.6	46.5	59.7	118.5	-
	膵臓	C25	33.1		0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	4.3	8.8	12.8	23.2	36.6	47.6	61.2	96.5	113.9	119.8	-
	喉頭	C32	5.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	7.3	7.5	15.1	14.3	10.5	12.5	6.2	-
	肺	C33-C34	114.9		0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	7.5	22.0	39.7	69.5	133.3	207.1	282.7	318.6	375.0	324.7	-
	皮膚	C43-C44	22.4		0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	4.3	2.2	3.8	14.6	18.3	23.0	34.7	40.7	59.7	159.3	-
	乳房	C50	72.1		0.0	0.0	0.0	0.0	1.8	1.8	9.0	27.0	65.6	82.4	89.7	86.6	104.3	131.0	159.2	119.8	115.3	107.4	-
	子宮	C53-C55	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	24.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	7.7	20.7	18.3	42.9	46.9	61.6	90.3	92.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	24.2		0.0	0.0	0.0	0.0	0.0	1.8	1.5	4.1	5.4	7.7	14.1	17.1	32.3	56.3	51.0	50.0	66.7	61.7	-
	脳・中枢神経系	C70-C72	4.1		8.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	0.0	1.1	2.6	7.3	4.3	7.9	4.1	4.7	12.5	12.3	-
	甲状腺	C73	12.1		0.0	0.0	1.7	1.5	0.0	7.0	10.4	9.5	8.6	9.9	12.8	22.0	23.7	19.8	15.3	20.9	15.3	13.6	-
	悪性リンパ腫	C81-C85 C96	27.6		0.0	0.0	3.4	1.5	0.0	0.0	1.5	2.7	8.6	4.4	6.4	34.1	30.1	51.6	53.1	74.4	86.1	72.8	-
	多発性骨髄腫	C88-C90	6.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	1.3	4.9	5.4	10.3	12.2	20.9	19.4	24.7	-
	白血病	C91-C95	11.1		4.0	0.0	1.7	9.2	0.0	1.8	3.0	4.1	5.4	1.1	7.7	8.5	16.1	19.0	16.3	26.7	29.2	24.7	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山口県

2017年

性別	部位	ICD-10	総数 1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,150.8	42.3	3.6	10.0	18.2	6.7	33.3	35.3	78.4	123.4	226.7	365.8	800.0	1,375.6	2,240.0	2,906.7	3,567.6	4,342.9	4,325.0	-	
	食道	C15 D001	45.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.1	10.5	30.0	77.8	125.0	144.4	94.6	146.4	95.8	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	204.9	0.0	0.0	0.0	0.0	0.0	3.3	5.9	16.2	25.5	68.9	102.6	207.5	297.8	420.0	535.6	570.3	642.9	625.0	-	
	結腸 2	C18 D010	135.6	0.0	0.0	0.0	0.0	0.0	3.3	5.9	5.4	14.9	35.6	71.1	127.5	166.7	283.3	357.8	375.7	460.7	450.0	-	
	直腸 2	C19-C20 D011-D012	69.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	10.6	33.3	31.6	80.0	131.1	136.7	177.8	194.6	182.1	175.0	-	
	肺	C33-C34 D021-D022	160.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	8.5	22.2	50.0	92.5	197.8	306.7	437.8	508.1	635.7	595.8	-
	皮膚	C43-C44 D030-D049	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.3	6.7	5.3	10.0	24.4	33.3	40.0	54.1	128.6	241.7	-
	乳房	C50 D05	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.2	0.0	3.6	4.2	-
	膀胱	C67 D090	73.4	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.3	0.0	31.6	57.5	64.4	141.7	162.2	245.9	285.7	345.8	-
女	全部位	C00-C96 D00-D09	755.3	20.8	0.0	6.9	21.9	37.0	88.9	193.9	251.4	393.5	467.4	565.0	692.9	887.5	1,072.7	1,330.2	1,498.0	1,647.7	1,886.0	-	
	食道	C15 D001	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	2.4	6.3	15.2	24.5	18.4	20.5	19.3	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	133.3	0.0	0.0	0.0	0.0	0.0	0.0	6.1	29.7	39.1	30.4	75.0	97.6	160.4	215.2	250.9	324.5	375.0	310.5	-	
	結腸 2	C18 D010	98.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.6	21.7	15.2	57.5	76.2	108.3	150.0	190.6	230.6	293.2	250.9	-	
	直腸 2	C19-C20 D011-D012	34.7	0.0	0.0	0.0	0.0	0.0	0.0	6.1	8.1	17.4	15.2	17.5	21.4	52.1	65.2	60.4	93.9	81.8	59.6	-	
	肺	C33-C34 D021-D022	74.3	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	6.5	21.7	30.0	47.6	72.9	118.2	152.8	177.6	211.4	210.5	-	
	皮膚	C43-C44 D030-D049	25.6	0.0	0.0	0.0	0.0	0.0	3.7	3.0	0.0	4.3	0.0	2.5	21.4	14.6	21.2	39.6	49.0	43.2	152.6	-	
	乳房	C50 D05	151.2	0.0	0.0	0.0	0.0	3.7	3.7	21.2	62.2	154.3	206.5	205.0	188.1	235.4	266.7	307.5	230.6	188.6	161.4	-	
	子宮	C53-C55 D06	63.7	0.0	0.0	0.0	0.0	18.5	55.6	109.1	108.1	121.7	115.2	105.0	104.8	77.1	69.7	52.8	44.9	43.2	35.1	-	
子宮頸部	C53 D06	39.8	0.0	0.0	0.0	0.0	18.5	55.6	100.0	91.9	102.2	80.4	57.5	47.6	39.6	25.8	24.5	18.4	20.5	14.0	-		
膀胱	C67 D090	17.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.5	16.7	14.6	12.1	47.2	30.6	75.0	52.6	-		
総数 3	全部位	C00-C96 D00-D09	942.8	32.0	1.8	8.5	20.0	21.1	59.6	113.4	164.9	257.0	348.4	467.9	745.1	1,123.7	1,628.6	2,054.1	2,388.4	2,695.8	2,608.6	-	
	食道	C15 D001	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.7	5.1	15.9	40.9	67.5	79.6	51.2	69.4	42.0	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	167.2	0.0	0.0	0.0	0.0	0.0	1.8	6.0	23.0	32.3	49.5	88.5	151.2	226.9	312.7	381.6	430.2	479.2	403.7	-	
	結腸 2	C18 D010	116.1	0.0	0.0	0.0	0.0	0.0	1.8	3.0	13.5	18.3	25.3	64.1	101.2	136.6	213.5	267.3	293.0	358.3	309.9	-	
	直腸 2	C19-C20 D011-D012	51.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.5	14.0	24.2	24.4	50.0	90.3	99.2	114.3	137.2	120.8	93.8	-	
	肺	C33-C34 D021-D022	115.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	7.5	22.0	39.7	69.5	133.3	207.9	283.7	319.8	376.4	324.7	-	
	皮膚	C43-C44 D030-D049	26.1	0.0	0.0	0.0	0.0	0.0	1.8	3.0	0.0	4.3	3.3	3.8	15.9	19.4	27.0	39.8	51.2	76.4	179.0	-	
	乳房	C50 D05	79.9	0.0	0.0	0.0	0.0	1.8	1.8	10.4	31.1	76.3	104.4	105.1	96.3	121.5	141.3	167.3	131.4	116.7	114.8	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	44.1	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	1.1	19.2	36.6	38.7	73.8	100.0	123.3	156.9	139.5	-	

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数 ¹	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	11,590	11.9	31.5	0.0	51.8	4.8
口腔・咽頭	C00-C14	259	1.2	24.7	0.0	69.5	4.6
食道	C15	319	15.0	30.7	0.0	52.0	2.2
胃	C16	1,574	17.5	31.8	0.0	47.2	3.6
大腸（結腸・直腸）	C18-C20	1,826	11.8	25.9	0.0	58.9	3.5
結腸	C18	1,255	12.0	27.8	0.0	57.3	2.9
直腸	C19-C20	571	11.2	21.7	0.0	62.3	4.7
肝および肝内胆管	C22	540	2.8	53.3	0.0	38.5	5.4
胆のう・胆管	C23-C24	248	2.4	33.9	0.0	62.5	1.2
膵臓	C25	439	3.9	33.7	0.0	61.0	1.4
喉頭	C32	69	2.9	27.5	0.0	66.7	2.9
肺	C33-C34	1,556	14.7	41.8	0.0	38.8	4.7
皮膚	C43-C44	310	0.0	12.3	0.0	85.5	2.3
乳房	C50	978	21.6	13.4	0.0	57.8	7.3
乳房（女性のみ）	C50	974	21.7	13.4	0.0	57.7	7.2
子宮	C53-C55	291	11.3	16.5	0.0	69.1	3.1
子宮頸部	C53	119	16.0	15.1	0.0	64.7	4.2
子宮体部	C54	170	8.2	17.6	0.0	72.4	1.8
卵巣	C56	99	6.1	24.2	0.0	60.6	9.1
前立腺	C61	1,180	19.2	43.4	0.0	27.3	10.1
膀胱	C67	327	2.8	22.6	0.0	68.8	5.8
腎・尿路（膀胱除く）	C64-C66 C68	332	8.4	44.0	0.0	40.7	6.9
脳・中枢神経系	C70-C72	55	0.0	12.7	0.0	78.2	9.1
甲状腺	C73	167	8.4	32.3	0.6	53.3	5.4
悪性リンパ腫	C81-C85 C96	377	6.4	23.1	0.3	67.6	2.7
多発性骨髄腫	C88-C90	86	1.2	43.0	0.0	53.5	2.3
白血病	C91-C95	152	3.3	41.4	0.0	53.9	1.3

1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数	1 がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	12,786	13.3	31.5	0.0	50.7	4.5
食道	C15 D001	352	17.3	32.4	0.0	48.3	2.0
大腸 (結腸・直腸) 2	C18-C20 D010-D012	2,279	15.8	27.8	0.0	53.4	2.9
結腸 2	C18 D010	1,576	16.2	29.3	0.0	52.0	2.5
直腸 2	C19-C20 D011-D012	703	15.1	24.3	0.0	56.6	4.0
肺	C33-C34 D021-D022	1,560	14.7	41.9	0.0	38.8	4.7
皮膚	C43-C44 D030-D049	361	0.0	13.0	0.0	85.0	1.9
乳房	C50 D05	1,086	24.3	13.6	0.0	55.2	6.8
乳房 (女性のみ)	C50 D05	1,081	24.4	13.7	0.0	55.1	6.8
子宮	C53-C55 D06	461	23.4	22.1	0.0	52.3	2.2
子宮頸部	C53 D06	289	32.5	24.9	0.0	40.5	2.1
膀胱	C67 D090	603	3.8	26.5	0.0	65.8	3.8

1 DCOを除く総数

2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数 1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,352	48.3	9.2	12.4	18.6	11.4	21.6
口腔・咽頭	C00-C14	259	40.2	13.1	33.6	3.9	9.3	46.7
食道	C15	319	45.1	11.9	20.4	14.1	8.5	32.3
胃	C16	1,574	54.1	11.9	6.8	18.1	9.1	18.7
大腸（結腸・直腸）	C18-C20	1,826	44.6	17.2	11.3	18.3	8.5	28.5
結腸	C18	1,255	45.2	16.2	12.2	18.2	8.2	28.4
直腸	C19-C20	571	43.4	19.4	9.3	18.4	9.3	28.7
肝および肝内胆管	C22	540	57.4	1.5	11.1	13.0	17.0	12.6
胆のう・胆管	C23-C24	248	21.4	3.2	39.9	23.8	11.7	43.1
膵臓	C25	439	9.6	3.6	31.7	43.7	11.4	35.3
喉頭	C32	69	79.7	5.8	7.2	4.3	2.9	13.0
肺	C33-C34	1,556	38.2	8.4	7.6	35.3	10.5	16.0
皮膚	C43-C44	310	88.1	0.3	4.5	0.3	6.8	4.8
乳房	C50	978	57.8	20.3	3.9	6.5	11.3	24.2
乳房（女性のみ）	C50	974	57.9	20.2	3.9	6.6	11.3	24.1
子宮	C53-C55	291	54.3	3.4	22.7	12.7	6.9	26.1
子宮頸部	C53	119	41.2	5.9	33.6	14.3	5.0	39.5
子宮体部	C54	170	64.1	1.8	15.3	11.8	7.1	17.1
卵巣	C56	99	34.3	0.0	32.3	16.2	17.2	32.3
前立腺	C61	1,180	63.2	0.8	11.3	11.4	13.2	12.1
膀胱	C67	327	67.0	2.4	10.1	5.2	13.1	12.5
腎・尿路（膀胱除く）	C64-C66 C68	332	56.3	1.2	18.1	13.3	11.1	19.3
脳・中枢神経系	C70-C72	55	60.0	0.0	9.1	3.6	27.3	9.1
甲状腺	C73	167	50.3	25.1	8.4	3.6	12.6	33.5
悪性リンパ腫	C81-C85 C96	373	27.9	1.3	13.7	44.0	13.1	15.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

1 DC0、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,548	9.1	44.0	8.3	11.3	16.8	10.6	19.6
食道	C15 D001	352	9.4	40.9	10.8	18.5	12.8	7.7	29.3
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,279	19.7	35.8	13.8	9.0	14.7	7.0	22.8
結腸 3	C18 D010	1,576	20.2	36.0	12.9	9.7	14.5	6.7	22.6
直腸 3	C19-C20 D011-D012	703	18.6	35.3	15.8	7.5	14.9	7.8	23.3
肺	C33-C34 D021-D022	1,560	0.3	38.1	8.3	7.6	35.2	10.5	16.0
皮膚	C43-C44 D030-D049	361	13.6	75.6	0.3	3.9	0.3	6.4	4.2
乳房	C50 D05	1,086	9.4	52.0	18.3	3.5	5.9	10.9	21.8
乳房 (女性のみ)	C50 D05	1,081	9.3	52.2	18.2	3.5	5.9	10.8	21.7
子宮	C53-C55 D06	461	36.2	34.3	2.2	14.3	8.0	5.0	16.5
子宮頸部	C53 D06	289	57.8	17.0	2.4	13.8	5.9	3.1	16.3
膀胱	C67 D090	603	45.6	36.3	1.3	5.5	2.8	8.5	6.8

1 DCO、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,352	1.2	47.0	7.9	11.4	17.7	14.7	19.3
口腔・咽頭	C00-C14	259	1.2	35.9	13.9	30.1	3.9	15.1	44.0
食道	C15	319	3.8	41.4	11.9	18.8	14.1	10.0	30.7
胃	C16	1,574	0.2	55.7	9.6	6.8	15.5	12.2	16.4
大腸（結腸・直腸）	C18-C20	1,826	2.1	40.4	16.8	11.2	16.6	12.8	28.0
結腸	C18	1,255	2.3	39.0	17.3	11.7	16.4	13.3	29.0
直腸	C19-C20	571	1.8	43.6	15.8	10.2	17.0	11.7	25.9
肝および肝内胆管	C22	540	0.0	57.2	1.5	10.7	12.8	17.8	12.2
胆のう・胆管	C23-C24	248	0.0	23.0	2.4	33.9	22.6	18.1	36.3
膵臓	C25	439	0.2	11.2	3.6	29.8	42.8	12.3	33.5
喉頭	C32	69	0.0	79.7	5.8	7.2	4.3	2.9	13.0
肺	C33-C34	1,556	0.4	37.3	7.6	7.8	34.7	12.1	15.4
皮膚	C43-C44	310	0.6	82.9	1.0	3.9	0.3	11.3	4.8
乳房	C50	978	3.4	60.3	14.3	4.0	6.2	11.8	18.3
乳房（女性のみ）	C50	974	3.4	60.5	14.3	3.9	6.3	11.7	18.2
子宮	C53-C55	291	1.7	48.8	2.7	20.3	12.0	14.4	23.0
子宮頸部	C53	119	4.2	38.7	5.0	31.1	13.4	7.6	36.1
子宮体部	C54	170	0.0	56.5	1.2	12.9	11.2	18.2	14.1
卵巣	C56	99	0.0	19.2	0.0	15.2	16.2	49.5	15.2
前立腺	C61	1,180	0.0	65.3	0.6	7.9	11.4	14.7	8.5
膀胱	C67	327	8.6	56.0	2.1	11.6	5.2	16.5	13.8
腎・尿路（膀胱除く）	C64-C66 C68	332	0.9	51.2	2.1	15.4	13.0	17.5	17.5
脳・中枢神経系	C70-C72	55	0.0	60.0	0.0	9.1	1.8	29.1	9.1
甲状腺	C73	167	0.0	49.7	11.4	9.0	3.6	26.3	20.4
悪性リンパ腫	C81-C85 C96	373	0.0	25.7	1.3	13.4	43.4	16.1	14.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

1 DC0、777：該当せずを除く総数

2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,548	5.8	44.5	7.2	10.4	16.0	16.1	17.5
食道	C15 D001	352	10.8	39.2	10.8	17.0	12.8	9.4	27.8
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,279	8.5	35.3	13.5	9.0	13.3	20.4	22.5
結腸 3	C18 D010	1,576	8.9	33.9	13.8	9.3	13.1	20.9	23.1
直腸 3	C19-C20 D011-D012	703	7.5	38.4	12.8	8.3	13.8	19.2	21.1
肺	C33-C34 D021-D022	1,560	0.6	37.4	7.6	7.8	34.6	12.1	15.4
皮膚	C43-C44 D030-D049	361	12.2	72.3	0.8	3.3	0.3	11.1	4.2
乳房	C50 D05	1,086	9.9	55.9	13.0	3.6	5.6	12.0	16.6
乳房 (女性のみ)	C50 D05	1,081	10.0	56.0	13.0	3.5	5.6	11.9	16.5
子宮	C53-C55 D06	461	34.1	32.1	1.7	12.8	7.6	11.7	14.5
子宮頸部	C53 D06	289	54.3	18.0	2.1	12.8	5.5	7.3	14.9
膀胱	C67 D090	603	24.4	46.9	1.2	6.3	2.8	18.4	7.5

1 DCO、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	7,196		54.8	10.8	9.5	5.1	19.8		20.3
口腔・咽頭	C00-C14	163		50.9	8.6	22.1	0.0	18.4		30.7
食道	C15	152		65.1	5.3	5.9	0.7	23.0		11.2
胃	C16	1,228		62.4	13.2	6.1	6.2	12.1		19.3
大腸（結腸・直腸）	C18-C20	1,559		47.9	18.9	11.7	11.7	9.9		30.5
結腸	C18	1,093		48.1	17.5	13.0	12.6	8.8		30.5
直腸	C19-C20	466		47.2	22.1	8.6	9.7	12.4		30.7
肝および肝内胆管	C22	214		43.0	0.9	7.0	2.8	46.3		7.9
胆のう・胆管	C23-C24	107		23.4	4.7	41.1	5.6	25.2		45.8
膵臓	C25	144		16.0	4.2	29.9	7.6	42.4		34.0
喉頭	C32	12		41.7	8.3	25.0	0.0	25.0		33.3
肺	C33-C34	788		60.7	6.7	4.8	3.0	24.7		11.5
皮膚	C43-C44	286		87.1	0.0	4.2	0.0	8.7		4.2
乳房	C50	815		62.7	19.8	2.7	1.1	13.7		22.5
乳房（女性のみ）	C50	811		62.9	19.6	2.7	1.1	13.7		22.3
子宮	C53-C55	216		66.2	2.8	14.4	5.1	11.6		17.1
子宮頸部	C53	62		61.3	4.8	17.7	1.6	14.5		22.6
子宮体部	C54	153		68.6	2.0	13.1	6.5	9.8		15.0
卵巣	C56	77		44.2	0.0	28.6	6.5	20.8		28.6
前立腺	C61	421		42.0	1.0	10.7	0.5	45.8		11.6
膀胱	C67	268		60.8	1.5	6.0	2.2	29.5		7.5
腎・尿路（膀胱除く）	C64-C66 C68	259		64.1	0.0	13.9	3.1	18.9		13.9
脳・中枢神経系	C70-C72	35		57.1	0.0	5.7	2.9	34.3		5.7
甲状腺	C73	152		47.4	25.7	7.2	0.7	19.1		32.9
悪性リンパ腫	C81-C85 C96	86		18.6	1.2	5.8	9.3	65.1		7.0
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	8,342	12.9	47.7	9.3	8.2	4.4	17.5	17.5
食道	C15 D001	181	15.5	54.7	4.4	5.0	0.6	19.9	9.4
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,008	22.1	37.2	14.6	9.1	9.1	8.0	23.7
結腸 3	C18 D010	1,411	22.3	37.3	13.5	10.1	9.8	7.0	23.6
直腸 3	C19-C20 D011-D012	597	21.4	36.9	17.3	6.7	7.5	10.2	24.0
肺	C33-C34 D021-D022	792	0.5	60.4	6.7	4.8	3.0	24.6	11.5
皮膚	C43-C44 D030-D049	334	13.5	74.6	0.0	3.6	0.0	8.4	3.6
乳房	C50 D05	917	10.8	55.7	17.6	2.4	1.0	12.5	20.0
乳房 (女性のみ)	C50 D05	912	10.7	55.9	17.4	2.4	1.0	12.5	19.8
子宮	C53-C55 D06	379	41.2	37.7	1.6	8.2	2.9	8.4	9.8
子宮頸部	C53 D06	225	69.3	16.9	1.3	4.9	0.4	7.1	6.2
膀胱	C67 D090	531	47.8	30.7	0.8	3.0	1.1	16.6	3.8

1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数 ¹	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	特異的治療なし・不明
全部位	C00-C96	11,590	28.0	18.2	8.6	9.4	30.3	10.2	3.7	23.1
口腔・咽頭	C00-C14	259	51.4	0.0	2.7	35.5	37.1	0.0	0.4	17.8
食道	C15	319	15.4	13.2	22.9	24.5	42.0	0.0	0.6	21.6
胃	C16	1,574	24.0	16.4	32.5	0.2	22.2	0.2	0.8	20.3
大腸（結腸・直腸）	C18-C20	1,826	31.7	42.9	9.7	1.7	34.1	0.1	1.5	15.7
結腸	C18	1,255	33.0	42.9	9.2	0.2	32.8	0.2	1.4	15.5
直腸	C19-C20	571	28.9	42.7	10.7	5.1	36.8	0.0	1.9	16.1
肝および肝内胆管	C22	540	18.1	4.6	0.2	1.1	31.7	0.0	33.7	38.1
胆のう・胆管	C23-C24	248	27.0	6.9	0.8	2.0	29.0	0.0	4.8	43.5
膵臓	C25	439	19.6	1.6	0.0	1.8	50.6	0.0	4.3	40.5
喉頭	C32	69	11.6	0.0	4.3	75.4	40.6	0.0	1.4	8.7
肺	C33-C34	1,556	4.9	34.6	0.1	11.2	38.4	0.1	1.7	29.0
皮膚	C43-C44	310	85.2	0.0	0.3	1.3	3.9	0.0	1.9	11.0
乳房	C50	978	78.7	0.1	0.0	23.9	30.5	53.2	0.4	12.2
乳房（女性のみ）	C50	974	78.7	0.1	0.0	23.9	30.4	53.3	0.4	12.1
子宮	C53-C55	291	62.9	7.6	0.0	16.2	41.9	0.0	1.0	14.1
子宮頸部	C53	119	52.1	0.8	0.0	37.8	46.2	0.0	0.8	14.3
子宮体部	C54	170	71.2	12.4	0.0	1.2	39.4	0.0	1.2	12.9
卵巣	C56	99	66.7	2.0	0.0	0.0	48.5	0.0	0.0	21.2
前立腺	C61	1,180	6.3	16.3	0.8	13.2	3.3	54.3	1.7	22.0
膀胱	C67	327	15.0	8.0	60.6	12.8	33.6	0.3	18.3	16.8
腎・尿路（膀胱除く）	C64-C66 C68	332	14.5	50.3	0.9	1.5	17.8	0.0	2.7	24.7
脳・中枢神経系	C70-C72	55	47.3	0.0	0.0	43.6	41.8	0.0	1.8	34.5
甲状腺	C73	167	73.7	0.0	0.0	7.2	1.2	3.6	0.0	25.1
悪性リンパ腫	C81-C85 C96	377	6.6	2.1	0.3	11.4	62.3	0.5	2.4	27.6
多発性骨髄腫	C88-C90	86	0.0	0.0	0.0	3.5	67.4	0.0	2.3	32.6
白血病	C91-C95	152	0.0	0.0	0.0	7.2	63.2	0.7	11.8	34.9

¹ DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数 ¹	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	12,786	28.3	17.3	12.9	8.9	28.1	9.5	4.0	21.3
食道	C15 D001	352	13.9	11.9	28.7	22.4	38.4	0.0	0.6	20.7
大腸 (結腸・直腸) ²	C18-C20 D010-D012	2,279	26.1	36.5	24.7	1.4	27.3	0.1	1.3	12.9
結腸 ²	C18 D010	1,576	26.6	36.6	24.9	0.1	26.2	0.1	1.2	12.6
直腸 ²	C19-C20 D011-D012	703	24.8	36.1	24.2	4.1	29.9	0.0	1.6	13.7
肺	C33-C34 D021-D022	1,560	5.0	34.7	0.1	11.2	38.3	0.1	1.7	29.0
皮膚	C43-C44 D030-D049	361	85.6	0.0	0.3	1.1	3.3	0.0	2.2	10.8
乳房	C50 D05	1,086	79.8	0.3	0.0	25.4	28.0	51.1	0.4	11.3
乳房 (女性のみ)	C50 D05	1,081	79.8	0.3	0.0	25.4	27.9	51.2	0.4	11.3
子宮	C53-C55 D06	461	72.5	6.1	0.0	10.2	26.5	0.0	4.1	11.5
子宮頸部	C53 D06	289	73.7	2.4	0.0	15.6	19.0	0.0	5.9	10.0
膀胱	C67 D090	603	10.1	6.1	72.3	7.5	28.7	0.3	19.7	10.6

1 DCOを除く総数

2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	集計対象数 1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,186	88.1	11.0	0.9
口腔・咽頭	C00-C14	139	79.1	14.4	6.5
食道	C15	161	92.5	6.8	0.6
胃	C16	1,106	92.0	7.6	0.5
大腸（結腸・直腸）	C18-C20	1,454	88.9	10.7	0.4
結腸	C18	1,013	88.2	11.5	0.4
直腸	C19-C20	441	90.5	9.1	0.5
肝および肝内胆管	C22	124	94.4	4.0	1.6
胆のう・胆管	C23-C24	82	82.9	17.1	0.0
膵臓	C25	93	81.7	16.1	2.2
喉頭	C32	11	54.5	27.3	18.2
肺	C33-C34	614	94.6	4.9	0.5
皮膚	C43-C44	265	94.7	4.2	1.1
乳房	C50	771	90.4	9.5	0.1
乳房（女性のみ）	C50	768	90.4	9.5	0.1
子宮	C53-C55	205	89.3	10.2	0.5
子宮頸部	C53	63	88.9	11.1	0.0
子宮体部	C54	142	89.4	9.9	0.7
卵巣	C56	67	83.6	14.9	1.5
前立腺	C61	274	82.1	17.5	0.4
膀胱	C67	253	54.5	45.1	0.4
腎・尿路（膀胱除く）	C64-C66 C68	217	94.0	5.5	0.5
脳・中枢神経系	C70-C72	26	65.4	34.6	0.0
甲状腺	C73	123	92.7	4.1	3.3
悪性リンパ腫	C81-C85 C96	34	55.9	26.5	17.6
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	集計対象数 1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,310	89.2	9.8	1.0
食道	C15 D001	189	93.1	6.3	0.5
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,899	90.9	8.6	0.5
結腸 2	C18 D010	1,330	90.4	9.1	0.5
直腸 2	C19-C20 D011-D012	569	92.1	7.4	0.5
肺	C33-C34 D021-D022	618	94.7	4.9	0.5
皮膚	C43-C44 D030-D049	310	95.2	3.9	1.0
乳房	C50 D05	870	91.3	8.6	0.1
乳房（女性のみ）	C50 D05	866	91.2	8.7	0.1
子宮	C53-C55 D06	361	91.4	6.9	1.7
子宮頸部	C53 D06	219	92.7	5.0	2.3
膀胱	C67 D090	511	73.6	25.0	1.4

1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山口県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96	0.41	0.39	0.40	2.8	3.9	3.3	1.9	2.3	2.1	85.7	84.0	85.0	82.6	80.1	81.5
口腔・咽頭	C00-C14	0.41	0.31	0.38	0.0	1.3	0.4	0.0	0.0	0.0	93.3	92.5	93.1	92.2	90.0	91.5
食道	C15	0.41	0.50	0.43	1.1	1.9	1.2	1.1	0.0	0.9	95.1	87.0	93.8	94.8	85.2	93.2
胃	C16	0.36	0.42	0.38	2.8	4.3	3.3	1.9	2.6	2.1	94.3	88.8	92.5	93.7	88.0	91.9
大腸（結腸・直腸）	C18-C20	0.35	0.34	0.35	2.2	3.8	2.9	1.6	1.8	1.7	93.5	88.9	91.5	93.2	88.6	91.2
結腸	C18	0.35	0.35	0.35	2.8	4.8	3.7	2.1	2.5	2.3	92.8	87.8	90.4	92.6	87.3	90.1
直腸	C19-C20	0.35	0.33	0.34	1.1	1.0	1.0	0.8	0.0	0.5	94.8	92.3	93.9	94.3	92.3	93.6
肝および肝内胆管	C22	0.76	0.80	0.77	6.2	11.5	8.0	4.6	8.0	5.8	36.7	25.0	32.6	35.9	24.0	31.8
胆のう・胆管	C23-C24	0.82	0.93	0.88	6.9	8.5	7.7	3.8	4.7	4.2	71.5	54.3	62.9	57.7	44.2	51.0
膵臓	C25	0.87	0.97	0.92	5.7	9.6	7.6	3.0	5.3	4.1	57.4	51.3	54.4	50.4	43.4	46.9
喉頭	C32	0.18	0.50	0.20	1.5	0.0	1.4	1.5	0.0	1.4	92.4	100.0	92.9	90.9	100.0	91.4
肺	C33-C34	0.62	0.44	0.56	4.2	3.0	3.8	2.3	1.5	2.0	81.5	79.0	80.7	72.2	70.1	71.5
皮膚	C43-C44	0.05	0.08	0.06	0.0	0.0	0.0	0.0	0.0	0.0	98.0	95.6	96.8	98.0	95.6	96.8
乳房	C50	-	0.16	0.16	0.0	2.0	2.0	0.0	1.8	1.8	75.0	93.9	93.8	75.0	92.9	92.9
子宮	C53-C55	-	0.29	0.29	-	0.7	0.7	-	0.7	0.7	-	95.9	95.9	-	91.8	91.8
子宮頸部	C53	-	0.28	0.28	-	0.0	0.0	-	0.0	0.0	-	97.5	97.5	-	91.6	91.6
子宮体部	C54	-	0.20	0.20	-	0.6	0.6	-	0.6	0.6	-	95.9	95.9	-	93.6	93.6
卵巣	C56	-	0.46	0.46	-	4.0	4.0	-	2.0	2.0	-	88.1	88.1	-	80.2	80.2
前立腺	C61	0.14	-	0.14	1.6	-	1.6	1.5	-	1.5	88.9	-	88.9	88.7	-	88.7
膀胱	C67	0.31	0.54	0.36	2.3	7.9	3.6	1.2	5.3	2.1	90.7	88.2	90.1	81.8	80.3	81.4
腎・尿路（膀胱除く）	C64-C66 C68	0.31	0.44	0.36	1.4	3.2	2.1	1.0	0.0	0.6	83.8	83.1	83.5	79.0	73.4	76.9
脳・中枢神経系	C70-C72	0.64	0.61	0.63	3.0	4.3	3.6	0.0	4.3	1.8	66.7	65.2	66.1	66.7	65.2	66.1
甲状腺	C73	0.07	0.13	0.11	0.0	0.0	0.0	0.0	0.0	0.0	89.1	94.2	92.8	80.4	86.0	84.4
悪性リンパ腫	C81-C85 C96	0.37	0.45	0.41	1.4	3.0	2.1	0.5	1.8	1.0	93.9	93.5	93.7	90.1	89.3	89.8
多発性骨髄腫	C88-C90	0.47	0.54	0.50	3.9	7.7	5.6	2.0	7.7	4.4	82.4	87.2	84.4	82.4	82.1	82.2
白血病	C91-C95	0.85	0.51	0.69	2.5	5.5	3.9	0.0	1.4	0.7	100.0	94.5	97.4	90.0	79.5	85.0

1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山口県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96 D00-D09	0.38	0.35	0.37	2.6	3.5	3.0	1.7	2.1	1.9	86.9	85.6	86.3	83.9	82.0	83.1
食道	C15 D001	0.37	0.47	0.39	1.0	1.7	1.1	1.0	0.0	0.8	95.6	87.9	94.4	95.3	86.2	93.8
大腸 (結腸・直腸) 2	C18-C20 D010-D012	0.27	0.29	0.28	1.8	3.2	2.4	1.3	1.5	1.4	94.9	90.7	93.2	94.7	90.4	92.9
結腸 2	C18 D010	0.27	0.30	0.28	2.1	4.0	3.0	1.6	2.1	1.8	94.5	89.7	92.3	94.4	89.3	92.1
直腸 2	C19-C20 D011-D012	0.28	0.27	0.28	1.1	0.8	1.0	0.7	0.0	0.4	95.8	93.7	95.0	95.4	93.7	94.8
肺	C33-C34 D021-D022	0.62	0.44	0.56	4.2	3.0	3.8	2.3	1.5	2.0	81.6	79.1	80.7	72.2	70.2	71.5
皮膚	C43-C44 D030-D049	0.04	0.07	0.06	0.0	0.0	0.0	0.0	0.0	0.0	98.3	96.2	97.2	98.3	96.2	97.2
乳房	C50 D05	-	0.14	0.14	0.0	1.8	1.8	0.0	1.6	1.6	80.0	94.4	94.4	80.0	93.5	93.5
子宮	C53-C55 D06	-	0.18	0.18	-	0.4	0.4	-	0.4	0.4	-	97.4	97.4	-	94.4	94.4
子宮頸部	C53 D06	-	0.11	0.11	-	0.0	0.0	-	0.0	0.0	-	99.0	99.0	-	95.8	95.8
膀胱	C67 D090	0.16	0.32	0.20	1.2	4.7	2.0	0.6	3.1	1.1	95.0	93.0	94.6	89.8	86.8	89.2

1 総数は男女および性別不詳の合計

2 粘膜がんを含む